FERRO®



SANITARY FITTINGS AND **ACCESSORIES**

CATALOGUE 2023

Pictograms and function markings





FERRO AirMix

The faucet aerator with additional water aeration system. It allows you



Ferro Eco Save





Thermostatic mixer

The hot water lock protects against scalding and ensures a constant water temperature of 38°C.

KITCHEN FITTINGS



Pull-out spout

The spout with pull-out hose increases the comfort of filling



Rotational spout



Two spouts

A product with two independently controlled spouts.



Shower / SprayA mixer with the ability to switch



Flexible spout

The spout can be freely controlled to precisely direct the jet when rinsing



Foldable spout

A faucet designed to be mounted in front of a window; this foldable spout





Reversible sink

The sink can be installed so that, depending on the needs, the drainer



Cork plug in the set

Pictograms and function markings

To increase legibility and facilitate the use of product information, their main features and functions are presented in the form of icons.

BATHROOM FITTINGS



Easy Clear

Spray handle nozzles and aerators made of plastic from which limescale



AutoClear

The function of automatic removal of limescale from shower handle nozzles



AIR-IN System

The spray handle aeration system, thanks to which we save water while maintaining the comfort of a large jet.



Click-clack

a click-clack plug, which can be opened and closed by pressing it.



Siphon trap included

Products equipped with a siphon



Pull-out shower handle

Mixer with pull-out shower handle.



Two sources

The product allows you to connect and use two water outputs.



Slim Design

Rainshower plate with a modern low profile



Adjustable spray angle

Infinitely adjustable setting of the angle of the rainshower plate



Multiple types of jet

Possibility to change the type of stream.



Anti Twist

twist.



Vertical adjustment

Vertical adjustment of the mounting bar.



Horizontal adjustment

Adjusting the distance of the bar from the wall



Safe Touch System

The faucet body does not heat up when using hot water.



CATALOGUE 2023

BATHROOM FITTINGS

BATHROOM FIXTURES

Overview

NOVELTIES

FERRO GROUP

STRENGTHS

273 PRODUCT

INDEX

10

- Surfaces and functions
- Adore White/ Chrome
- Adore Black/ 26 Chrome
- 28 Stratos
- Stratos Black 30
- 32 7icco
- 34 Zicco Black
- 36 Alba Verdeline
- Tiga Verdeline 37
- Algeo Square
- Algeo Square Black/Chrome
- 43 Fiesta
- 46 Fiesta Gold
- 48 Algeo
- 53 Algeo Black
- Vitto Verdeline
- Vitto Verdeline Black
- Vitto Verdeline 56 Gold
- 57 Vitto Verdeline Black/Gold
- Vasto
- 61 Stillo
- 63 Smile
- 65 Ferro One
- 68 Savio
- 69 Isso
- 71 Basic
- Thermostatic mixers
- 74 Antica
- 75 Retro
- Retro New
- 79 Standard
- Low presure mixers
- Special mixers

SHOWER **PROGRAMMES**

- Overview
- Rainfall shower systems and mixer
- Rainfall shower systems and mixer
- Shower sets with rainfall Verdeline
- Shower sets with rainfall
- 103 Built-in shower sets
- 105 Shower sets
- 112 Shower spot sets
- 114 Shower handle holders
- 116 Shower handles
- 121 Shower heads
- 122 Rain shower heads
- 125 Shower arms
- 126 Angle connectors for flush-mounted systems
- 128 Spouts for built-in mixers
- 129 Shower hoses

BATHROOMS ACCESSORIES

- 133 Overwiew
- 134 Antica
- 136 Retro
- 138 Emotion
- 141 Greta
- 143 Greta Black
- 145 Smile
- 147 Mephisto
- 150 Grace
- 153 Audrey
- 156 Metalia 1
- 160 Metalia Shower
- 164 Toilet seats

ACCESSORIES AND SPARE PARTS

- 169 Overview
- 170 Linear drains
- 173 Siphons
- 176 Drain valves
- 181 Angle valves

KITCHEN SPECIALIST FITTINGS FITTINGS

- 186 Standing kitchen mixers overview
- 188 Surfaces and functions
- 190 Standing kitchen mixers
- 203 Low presure mixers
- 204 Kitchen mixer spouts
- 206 Wall-mounted mixer taps overview
- 207 Wall-mounted mixer taps
- 209 Sink mixer handle and hoses

SINKS

- 210 Overview
- 212 Granite sinks
- 216 Granite sink sets
- 217 Utility sinks

- 220 Overview
- 221 Medical mixers
- 225 Touchless fittings
- 229 Touchless fittings accessories
- 231 Time delay mixers and valves
- 234 LEED/BREEAM mixers
- 237 LEED/BREEAM showers
- 238 Grace Hotel
- 240 Metalia Help

ACCESSORIES AND SPARE PARTS

- 243 Overview
- 244 Spouts
- 245 Jet regulators
- 247 Ceramic heads and regulators
- 250 Mixer handles
- 252 Rosettes
- 255 Mixers mounting accessories
- 259 Plugs and drains
- 261 Strainers
- 262 Caps and reductions
- 263 Funnels
- 264 Gaskets
- 270 Mounting
- 272 Switches









Welcome to the world FERRO GROUP

The FERRO Group is one of the largest manufacturers of sanitary and plumbing fixtures in Central and Eastern Europe with nearly 30 years of experience in the industry. Thanks to its commitment to high product quality and its mission to meet customer needs for a safe and well-functioning home, Ferro products are present in millions of places. Every year we introduce new products to the market, which ever better meet the expectations of even the most demanding customers.

The vision, mission and values set the direction in which we are going, inspire us in our daily work, define our way of functioning and approach to customers, employees, business partners and shareholders.

The FERRO Group maintains its position as market leader thanks to its numerous advantages and market advantages.



Stable and secure position of the company

The Group owns several product brands, including Ferro, Metalia and Titania, which gives it a significant competitive advantage and ensures a strong market position. FERRO cares about maintaining standards of operation and continuous development of the range of high quality products, which allows to maintain a wide range of customers, increase confidence in the brand and maintain a stable market position.



Large-scale operations

In addition to its activities in Poland, the FERRO Group offers its products in Europe and on numerous foreign markets, becoming one of the largest manufacturers of sanitary and plumbing fixtures in Central and Eastern Europe. Our products are produced at the Czech factory NOVASERVIS in Znojmo as well as several other factories in Europe and Asia.



High quality of products

The FERRO Group is constantly striving to achieve the best possible quality parameters. FERRO places particular emphasis on meeting the requirements of the applicable standards, maintaining high technical parameters, safety and functionality of its products. This is emphasized by the fact that the FERRO Group has implemented the ISO 9001:2008 Quality Management System. Thanks to special attention to quality, our company has been repeatedly awarded and honoured for the high quality of products by the environment and industry institutions and reputable industry magazines.



Exceptional team

Our company and its success is made up of People, considered to be the most valuable asset of the Group. FERRO's organizational culture is created by people with passion and open-mindedness, which is why we employ exceptional employees and ensure their continuous development.

A good understanding of individual markets and their needs has enabled us to gain the trust of our customers and dynamic international expansion. Consistent investment in modern technologies based on the philosophy of sustainable development makes us offer attractive design and quality products for many market segments. As Ferro Group, we desire to develop a leading position in the field of bathroom and kitchen solutions and offer professional installation systems. We want to accompany our customers at every stage of contact with the product - from inspiration, through efficient delivery, to failure-free use.

FERRO Group companies

- FERRO S.A. Poland
- FERRO International Sp. z o.o. Poland
- NOVASERVIS spol. s.r.o. Czech Republic
- NOVASERVIS FERRO Group SRL Romania, Moldova
 - NOVASERVIS FERRO SK s.r.o. Slovakia
 - FERRO HUNGARY KFT Hungary
- NOVASERVIS FERRO Bulgaria Ltd. Bulgaria
- FERRO BALTICS UAB Latvia, Lithuania, Estonia
- FERRO ADRIATICA Croatia, North Macedonia, Bosnia and
- Herzegovina, Montenegro, Slovenia
- TERMET S.A. Poland TESTER Sp. z o.o. Poland

Ferro Group's activities on the **European market are performed** by local distribution companies and local sales force

Thanks to this, the company perfectly recognizes the needs of the market and adapts its activities to the local specifics. The flexibility and local activity, combined with the global opportunities offered by the Group, make Ferro Group today the leader in the sanitary and heating technology sector in Europe. Consistent implementation of the vision of international development results in an increasing expansion of Ferro Group into new markets

The history of the FERRO Group since its foundation is connected with the south of Kraków, for many years the company's headquarters have been located in Skawina, a town near Kraków. The strength of the Ferro brand is the excellent quality of the products manufactured in the Czech factory on the basis of the European standards of technology and work organization, as well as the constantly updated and extended assortment comprising several thousand unique products offered in 25 categories: from bathroom and kitchen mixers and sinks, to water and measurement fittings, radiators, pumps and heating controls, and from 2021 also gas boilers, provided to both individual customers and institutional recipients developers, property managers, tenants.



FERRO headquarters in Skawina



Production plant and logistics centre in Znoimo (Czech Republic)

Our brands

We listen to the needs of our customers and create for them high quality products under brands: Ferro, Nobless, Metalia and Titania. Each brand responds to the needs of different groups of customers, and all of them have been created to facilitate everyday life and guarantee safe, comfortable and functional interiors of every house.

The global brand

Group brands CZ/SK





Product brands belonging to the FERRO Group



NOBLESS

METALIA— TITANIA

DESIGN

termet*



Design and ergonomics

FERRO products are characterized by high quality, innovation and perfect design. This is evidenced by numerous awards and distinctions awarded by industry circles and prestigious interior design magazines Our products are part of everyday life, accompany our customers, and contribute to their well-being and comfort of life. By providing heating and sanitary solutions, we care about the safety of use, functionality and comfort of the customer, his satisfaction is the only true measure of success.





Among the wide range of FERRO products, we can find real gems of design, which are appreciated during competitions and industry plebiscites.

Wall-mounted bath mixers with a folding spout that also functions as a shower switch צ

Zicco - page 32 Zicco Black - page 34 Vitto Verdeline - page 58 Vitto Verdeline Black - page 59





↑ Wall-mounted sink mixer with a flexible spout that allows you to set it in any shape so that we can freely adjust the direction of the water stream

Algeo - page 56, 206

Details arewhat matters

At every stage of production, FERRO attaches great importance to details, both in terms of their perfect execution and finish. Thanks to this, every product of the company is characterized by the highest quality and impeccable appearance. We strive to ensure that our products are in line with European trends, while guaranteeing quality and durability highly appreciated by our customers.





Safety and quality are our priorities, which is why we care about the certification of products and processes in certification bodies valued in **Europe.** All mixers are safe to use and have the approvals of the Polish hygiene facility.



QUALITY UNDER SCRUTINY

The company puts particular emphasis on meeting the requirements of the applicable standards, maintaining high technical parameters, safety and functionality of products. All the company's products are subject to extremely accurate and restrictive quality verification procedures. They are inspected at every production stand. The correct course of quality control processes is supervised by highly qualified

FERRO takes care of the excellent quality of its products.

accurate and restrictive quality verification procedures. They are inspected at every production stand. The correct course of quality control processes is supervised by highly qualified engineers responsible for quality and product certification. The auditors check compliance with the procedures of the quality assurance system. These include the procedures specified by Polish PN and European PN-EN series standards and the procedures related to the Quality Management System.





Production

process

FERRO's production is carried out in several modern factories around the world based on the highest quality raw materials and components from reliable suppliers from Europe and Asia.

We have our own production plant in Znojmo (Czech Republic) with a modern logistics centre. This, combined with our location in the heart of Europe, ensures efficient and effective distribution between the Group companies and to the various European and global markets. Before leaving the factories, all products undergo a meticulous quality control, which ensures that our customers receive a proven, reliable product that provides many years of comfortable operation.

The factory in Znojmo has a modern CNC machining plant, its own glassworks, assembly line, electroplating line, as well as faucet folding and polishing stations. The plant has almost 40 years of production tradition. Today not only faucets are manufactured there, but also bathroom accessories, bathroom fittings and brass distributors. The plant also boasts a fully automated chrome-plating plant with closed water circulation, adapted to the latest environmental requirements.








Experience and passion

Our company and its success is created by people who constitute the most valuable asset of the Group. FERRO's organizational culture is created by people with passion and open-mindedness, which is why we employ exceptional employees and ensure their continuous development. We believe that an appropriate incentive system, good working conditions and team partnership help to work effectively, develop employees and influence the further development of the company. In our daily activities we are guided by values that allow us to build an extraordinary working atmosphere.

WE WORK WITH
EXTRAORDINARY PEOPLE
BECAUSE IT IS THANKS TO
THEM THAT WE ACHIEVE
EXTRAORDINARY RESULTS.





PEOPLE

Our team consists of almost half a thousand people from all over Europe. The experience of our long-time employees is complemented by a fresh look of these younger ones, thanks to which we realize creative ideas and implement innovative solutions together. And, together we create an energetic, efficient organization that values teamwork, mutual respect and continuous improvement.



Ecology the Ferro Way

eco+

Innovation and the promotion of eco-friendly solutions in bathroom furnishings has been our goal invariably for more than a dozen years. The long road and modification of these solutions has brought us to the forefront of manufacturers offering water-saving products. It is important to bear in mind the importance of choosing Verdeline products in terms of long-term use, reducing water and energy costs. On Ferro's dedicated Water Saving website, each user can calculate the amount of real savings based on their approximate water consumption and cost in their location.





Eco-friendly products



Ferro Air Mix

Aerator



Ferro

Eco Save



AIR-IN System

Verdeline product range:

36 Alba Verdeline

37 Tiga Verdeline

54,86 Vitto Verdeline

55, 86 Vitto Verdeline Black

56 Vitto Verdeline Gold

57 Vitto Verdeline Gold/Black

92 Kanto Verdeline

92 Kanto Verdeline Black

93 Amiga Verdeline

93, 112, 117 Amigo Verdeline

3 SIMPLE RULES:

USE SAVE CONSERVE

BVI2VLBL Standing washbasin mixer **BVI2LVLBL** Standing counter washbasin mixer






* Check details →



New quality in saving

The Unified Water Label Association, based in Newcastle (UK), is an association whose main objective is to implement uniform water and energy labelling of sanitary products throughout Europe. The world's water resources are limited and water scarcity, with a growing population and climate change, is becoming a major global issue. This is why water consumption labels have been developed to raise awareness of which appliances use less water, so that we use water more efficiently. Ferro S.A. is a manufacturer focusing on ecological solutions and supporting the policy of saving natural resources. Selected VERDELINE products from our offer are labelled with WATER LABEL, thanks to which our customers know which of them use less water and energy, which additionally translates into reduced costs.





Water Label certified products:

36 Alba Verdeline

37 Tiga Verdeline

54,86 Vitto Verdeline

55,86 Vitto Verdeline Black

56 Vitto Verdeline Gold

57 Vitto Verdeline Gold/Black

225 Sirocco Sensor

225 Sirocco Sensor Pre-Mixed

225 Sirocco Sensor Power-Safe

226 Sirocco Sensor Power-Safe Pre-Mixed





Bathroom

fixtures

The collection of Ferro bathroom fixtures is a rich offer allowing for comprehensive bathroom fitting. Among the proposed solutions you will find functional washbasin, bath, shower and bidet mixers as well as modern shower sets. Mixers and shower sets are distinguished by their attractive design in compliance with the latest design trends. They fit perfectly into various arrangements. You can easily match the product to your style, from classic to very modern interiors.

CHROME -



STRATOS



ZICCO 32



ALBA VERDELINE



TIGA VERDELINE



ALGEO SQUARE



SMILE 63



FERRO ONE



SAVIO



ISSO



BASIC

CLASSIC MIXERS



ANTICA



RETRO 75



RETRO NEW



STANDARD

WHITE-CHROME -



NEW





ADORE BLACK/CHROME



ALGEO SQUARE BLACK/CHROME





STRATOS BLACK



ZICCO BLACK

34

GOLD -

ADORE

WHITE/CHROME



VITTO VERDELINE GOLD 56



NEW

FIESTA GOLD

46











LOW PRESURE MIXERS —



METALIA 55 81

BLACK -



ALGEO BLACK



VITTO VERDELINE BLACK 55

OLD BRONZE ———



ANTICA
74

BLACK-GOLD -

NEW



VITTO VERDELINE BLACK/GOLD 57

List of functions

In addition to the necessary functions to facilitate daily use, guarantee comfort and safety, Ferro bathroom mixers are also equipped with innovative solutions that enable users to save water and reduce household expenses.

BATHROOM FITTINGS















Page number	Series name	Eco	Ferro AirMix	Ferro Eco Save	Rotational spout	Easy Clean	Pull-out shower handle	Click-clack
24	Adore						•	•
28	Stratos							•
32	Zicco				•			•
36	Alba Verdeline	•	•	•		•		•
37	Tiga Verdeline	•	•	•	•	•		•
39	Algeo Square				•		•	•
43	Fiesta				•			•
48	Algeo				•		•	
54	Vitto Verdeline	•	•	•		•		•
58	Vasto				•			
61	Stillo				•			
63	Smile				•			
65	Ferro One				•			•
68	Savio				•			
69	Isso				•			
71	Basic				•			
74	Antica				•			
75	Retro				•			
77	Retro New				•			
79	Standard				•			
81	Metalia 55				•			

Colour combinations

The attractive appearance of mixers and showers is influenced by interesting shapes and aesthetically appealing surfaces. Elegant chrome, fashionable black or a combination of both colours will highlight the unique character of the bathroom.

Ferro mixer surfaces not only fulfil decorative functions but also perfectly protect mixers and showers from harmful external factors.

BATHROOM FITTINGS								
no.	Series name	chrome	black-chrome	black	white-chrome	old bronze	gold	black-gold
24	Adore		•		•			
28	Stratos	•		•				
32	Zicco	•		•				
36	Alba Verdeline	•						
37	Tiga Verdeline	•						
39	Algeo Square	•	•					
43	Fiesta	•					•	
48	Algeo	•		•				
54	Vitto Verdeline	•		•			•	•
58	Vasto	•						
61	Stillo	•						
63	Smile	•						
65	Ferro One	•						
68	Savio	•						
69	Isso	•						
71	Basic	•						
74	Antica					•		
75	Retro	•						
77	Retro New	•						
79	Standard	•						
81	Metalia 55	•						

Cilionie
Glossy chrome
coating is a
universal choice,
fits perfectly any
colour and style of
arrangement.

Black-chromeChrome-broken black looks great in elegant bathing

Black
Fashionable black
underlines the
friendly ambience
of the bathroom
interior, making
it a unique place
of care and
relaxation.

White-chrome This beautiful combination of bright colours brightens up the interior, which is very important especially in small bathrooms.

Old bronze Gold

Durable coating, looks like old bronze.

Gold

Durable PVD coating in gold colour.

Gold-blackA combination of matt black and bright gold








Build-in shower mixer


- 2-function
- a set of concealed and surface mounted components
- · wall-mounting
- 2-function switch
- ceramic cartridge
- G1/2 connection
- G1/2 shower output


itch idge ion output ADORE WHITE/CHROME CATALOGUE 2023






ADORE BLACK/CHROME CATALOGUE 2023







STRATOS CATALOGUE 2023




STRATOS BLACK




STRATOS BLACK CATALOGUE 2023






ZICCO CATALOGUE 2023






ZICCO BLACK CATALOGUE 2023












Wall-mounted bath mixer

- ceramic cartridge
- · bath/shower switch • M24x1 flow regulator
- flow limiter for the shower output
- G1/2 eccentric connection spacing 150 ± 20 mm
- shower set not included

BLB1VL


TIGA VERDELINE CATALOGUE 2023






ALGEO SQUARE CATALOGUE 2023







ALGEO SQUARE CATALOGUE 2023






FIESTA CATALOGUE 2023







FIESTA CATALOGUE 2023







FIESTA GOLD CATALOGUE 2023






ALGEO CATALOGUE 2023









Wall-mounted bath mixer


ceramic cartridge


- automatic bath/shower switch with a lock
- M24x1 flow regulator
- G1/2 eccentric connection spacing 150 ± 20 mm
- shower set not included

chrome


BAG1

ALGEO CATALOGUE 2023





ALGEO BLACK CATALOGUE 2023





• G1/2 eccentric connection spacing 150 ± 20 mm

· shower set not included


160

VITTO VERDELINE BLACK CATALOGUE 2023













VASTO CATALOGUE 2023






STILLO CATALOGUE 2023







SMILE CATALOGUE 2023






FERRO ONE CATALOGUE 2023







FERRO ONE CATALOGUE 2023






ISSO CATALOGUE 2023







BASIC CATALOGUE 2023







THERMOSTATIC MIXERS CATALOGUE 2023







RETRO CATALOGUE 2023







RETRO NEW CATALOGUE 2023






STANDARD CATALOGUE 2023






LOW PRESURE MIXERS CATALOGUE 2023



SPECIAL MIXERS





Shower programmes

A modern shower, in addition to providing a comfortable bath, can also perfectly decorate the bathroom interior. That is why Ferro offers perfectly highly admired by users functional shower sets equipped with water-saving components and thermostatic mixers, as well as flush mounted sets with a mixer and a rain shower. Sets with elegant rain showers and shower handles of geometric or round form covered with shiny chrome coating look great in modern shower cabins.

SHOWER SETS



SHOWERS SET COMPONENTS -



SHOWER HANDLE HOLDERS



SHOWER HANDLES



SHOWER HEADS



RAIN SHOWER HEADS 122



SHOWER ARMS 125




ANGLE CONNECTORS FOR FLUSH-MOUNTED SYSTEMS



SPOUTS FOR BUILT-IN MIXERS



SHOWER HOSES 129





• PVC shower hose 150 cm



Description Colour

Trevi Square rainfall shower system and thermostatic mixer

Rainfall shower:

- · regulated length of metal bar 800 - 1250 mm
- regulated mounting heightrainfall steel head SLIM 300 x 300 mm
- · integrated wall mounting
- with rainfall bar
 ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System - easy limescale removal

Shower mixer:

- thermostatic regulator
- integrated ceramic switch for rainfall shower/shower handle
- \cdot Safe Stop 38°C hot water lock
- wall-mounting
- G1/2 eccentric connection spacing 150 \pm 20 mm
- G3/4 rainfall connection
- upper fitting
- G1/2 shower connection
- $\hbox{-}\ bottom\ fitting$

Shower

- 1-function shower handle
- stream: rain
- Ferro Easy Clean System
- easy limescale removal
- 150 cm shower hose in metal braid



Trevi Square Black rainfall shower system and thermostatic mixer



- · regulated length of metal bar 800 - 1250 mm
- regulated mounting height · rainfall steel head SLIM
- 300 x 300 mm
- · integrated wall mounting with rainfall bar
 - · ball-joint adjustable angle of overhead shower plate
 - Ferro Easy Clean System
 - easy limescale removal

Shower mixer:

- $\cdot \ thermostatic \ regulator$
- integrated ceramic switch for rainfall
- shower/shower handle
 Safe Stop 38°C hot water lock
- $\cdot \ \text{wall-mounting} \\$
- G1/2 eccentric connection spacing 150 ± 20 mm
- G3/4 rainfall connection - upper fitting
- G1/2 shower connection
- bottom fitting

Shower:

- 1-function shower handle
- stream: rain
- Ferro Easy Clean System
- easy limescale removal
- PVC shower hose 150 cm


NP75SQ-TRV7U-BL


Index


chrome


NP75SQ-TRV7U











Algeo Square rainfall shower system and mixer

Rainfall shower:

- metal bar 1130 mmregulated mounting height
- regulated distance of rainfall
- from wall allowing easy mounting
 200 x 200 mm rectangular shower
- head plate
- integrated wall mounting with rainfall bar
- ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System
- easy limescale removal
- practical, flat shelf for cosmetics with adjustable mounting
- metal switch with ceramic insert


Shower mixer:


- ceramic cartridge
- wall-mounting
- G1/2 eccentric connection spacing 150 \pm 20 mm
- G1/2 shower connection
- upper fitting

Shower:


- 75×75 mm shower handle
- 1-function shower handle
- stream: rain
- Ferro Easy Clean System
- easy limescale removal
- 150 cm shower hose in metal braid

NP74-BAQ7U chrome







SHOWER SETS WITH RAINFALL




SHOWER SETS WITH RAINFALL CATALOGUE 2023





SHOWER SETS WITH RAINFALL CATALOGUE 2023



Wizard Square Pro sliding shower set with rainfall

Rainfall shower:

Description

- sliding metal bar with adjustable length, 850 1270 mm
- square SLIM stainless steel shower head, 300 x 300 mm
- ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System
 easy limescale removal

Shower:

- 3-function square shower handle
- streams: rain, massage, mixed
- sliding handle made of plastic with adjustable shower handle angle
- Ferro Easy Clean System
- easy limescale removalPVC shower hose 150 cm

Shower switch:

· brass switch with ceramic head



Wizard Square Pro Black sliding shower set with rainfall

Rainfall shower:

- sliding metal bar with adjustable length, 850 1270 mm
- regulated height rainfall head
 adjusting the height of the set to your height
- square SLIM stainless steel shower head, 300 x 300 mm
- ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System easy limescale removal

Shower:

- shower handle with click function
 switch
- \cdot 3-function rectangle shower handle
- streams: rain, massage, mixed
- sliding handle with adjustable shower handle angle
- Ferro Easy Clean System easy limescale removal
- PVC shower hose 150 cm
- Shower switch:
- brass switch with ceramic head
- connecting hose 50 cm with a 1/2 nut - universal connection to any bath or shower mixer

black matt NP48-BL


Colour

chrome


Index


NP48

NEW



SHOWER SETS WITH RAINFALL CATALOGUE 2023





Rondo Lux Black sliding shower set with rainfall

Rainfall shower:

- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- shower head plate Ø 200 mm
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting


Shower:

- shower handle Ø 100 mm
- \cdot 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert

olack NP23-BL



Description Colour Index

NP24

chrome

Squerto Lux sliding shower set with rainfall

Rainfall shower:


- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- shower head plate dimension 200 x 200 mm
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting

Shower:

- 1-function shower handle
- streams: rain
- Ferro Easy Clean System
- easy limescale removal
- 150 cm metal braided shower hose
- 50 cm PVC connecting hose with G1/2 nut universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert



Squerto Lux Black sliding shower set with rainfall

Rainfall shower:

- sliding shower set with rainfall
- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting

Shower:

- shower head plate dimension $200 \times 200 \text{ mm}$
- shower handle Ø 100 mm
- 1-function shower handle

Streams: rain

- Ferro Easy Clean System
- easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert

black NP24-BL

SHOWER SETS WITH RAINFALL **CATALOGUE 2023**



Rondo sliding shower set with rainfall

Rainfall shower:

Description

 1060 mm sliding metal bar
 adjustable spacing distance between holders - possibility of mounting in existing wall openings

• shower head plate - Ø 200 mm

• ball-joint - adjustable angle of overhead shower plate

Shower:

 \cdot shower handle - Ø 100 mm

- \cdot 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- \cdot 150 cm metal braided shower hose
- \cdot 70 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert





0-850

Ø206

150 cm

50 cm

Rondo Black sliding shower set with rainfall



- 1060 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- · shower head plate Ø 200 mm
- · ball-joint adjustable angle of overhead shower plate

Shower:

- shower handle Ø 100 mm
- 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:


• metal switch with ceramic insert

NP21-BL


Colour


chrome

Index NP21





BUILT-IN SHOWER SETS CATALOGUE 2023





SHOWER SETS CATALOGUE 2023





SHOWER SETS CATALOGUE 2023







SHOWER SETS CATALOGUE 2023






SHOWER SETS CATALOGUE 2023






SHOWER SPOT SETS CATALOGUE 2023




SHOWER HANDLE HOLDERS


SHOWER HANDLE HOLDERS CATALOGUE 2023

Description	Colour	Index
Single-point shower handle	chrome	U01




SHOWER HANDLES CATALOGUE 2023







SHOWER HANDLES CATALOGUE 2023



SHOWER HANDLES





SHOWER HEADS CATALOGUE 2023






RAIN SHOWER HEADS CATALOGUE 2023







SHOWER ARMS CATALOGUE 2023









SPOUTS FOR BUILT-IN MIXERS




SHOWER HOSES CATALOGUE 2023



SHOWER HOSES



SHOWER HOSES CATALOGUE 2023





BATHROOMS ACCESSORIES CATALOGUE 2023

Bathrooms accessories

Accessories are often called bathroom jewels as these small elements perfectly complement the whole interior. Made of high quality brass and transparent or matt glass, and covered with a glossy chrome coating, they wonderfully decorate the interior and facilitate everyday care.

ACCESSORIES



ANTICA 134



RETRO



EMOTION



GRETA



GRETA BLACK



SMILE 145



MEPHISTO 147



GRACE



AUDREY 153



METALIA 1 156



METALIA SHOWER

TOLILET SEATS




TOILET SEATS - MDF




TOILET SEATS - DUROPLAST




TOILET SEATS - PRINTING




ANTICA CATALOGUE 2023






RETRO CATALOGUE 2023




EMOTION




EMOTION CATALOGUE 2023




EMOTION




GRETA CATALOGUE 2023




GRETA




GRETA BLACK CATALOGUE 2023



GRETA BLACK





SMILE CATALOGUE 2023






MEPHISTO CATALOGUE 2023







MEPHISTO CATALOGUE 2023




GRACE




GRACE CATALOGUE 2023







AUDREY CATALOGUE 2023



AUDREY




AUDREY CATALOGUE 2023



METALIA 1			
	Description Standing toilet brush	Colour chrome	Index 6159.0
	Glass shelf with railing	chrome	6153.0
	• length: 600 mm • glassware		
	Bath handle • dimensions: 250 mm x 105 mm • diameter: 22 mm	chrome	6132.0
	Double rail towel hanger • length: 400 mm • glassware	chrome	6129.0
& S	Glass corner shelf with railing • glassware	chrome	6158.0
	Soap dispenser	chrome	6177.0

METALIA 1 CATALOGUE 2023



METALIA 1

METALIA 1			
	Description Toilet paper holder	Colour chrome	Index 6110.0
	Paper towel holder	chrome	6151.0
	Double rail hanger	chrome	6156.0
	Toilet paper holder	chrome	6131.0
	Glass soap dish • dimensions: 120 mm x 80 mm • glassware	chrome	6136.0
	4-hook towel rack • dimensions: 235 mm × 40 mm	chrome	6143.0

METALIA 1 CATALOGUE 2023

METALIA 1				ALOGUE 2023
	Description	Colour	Index	
	• dimensions: 95 mm x 60 mm	chrome	6144.0	
	Single glass • glassware	chrome	6106.0	
	Round towel hanger	chrome	6101.0	
	Soap dish with magnet	chrome	6141.0	
	Single rail hanger	chrome	6109.0	
(-C	Single rail hanger	chrome	6130.0	

METALIA SHOWER			
	Description	Colour	Index
	Double rack dimensions: 290 mm x 130 mm height: 275 mm	chrome	6075.0
	Double rack • dimensions: 210 mm x 110 mm • height: 260 mm	chrome	6073.0
	Double corner rack dimensions: 170 mm x 170 mm height: 345 mm	chrome	6078.0
	• dimensions: 250 mm x 250 mm x 320 mm • height: 260 mm	chrome	6070.0
	Double L-shaped corner rack • dimensions: 200 mm x 110 mm • height: 260 mm	chrome	6074.0
	• dimensions: 170 mm × 255 mm × 330 mm • height: 260 mm	chrome	6072.0

METALIA SHOWER CATALOGUE 2023


METALIA SHOWER			CATALOGUE 2023
	Description	Colour	Index
	Small double corner rack • dimensions: 170 mm x 170 mm x 220 mm • height: 260 mm	chrome	6071.0
	Standing toilet brush	chrome	6033.0
	Corner rack • dimensions: 250 mm × 250 mm • height: 90 mm	chrome	6079.0
	Metal soap dish • for Ø18 mm shower bar • dimensions: 140 mm x 90 mm	chrome	6080.0
	Rack • dimensions: 200 mm x 110 mm • height: 90 mm	chrome	6077.0
	Large rack • dimensions: 290 mm x 130 mm	chrome	6068.0

Comerack Chrome Chrom	METALIA SHOWER			
Comerrack		Description	Colour	Index
- dimensions - di		dimensions:	chrome	6035.0
• dimensions: 170 mm x 120 mm 170 mm x 110 m		• dimensions: 170 mm x 170 mm x 220 mm	chrome	6064.0
• dimensions: 200 mm x 110 mm Metal soap dish chrome 6008.0 • dimensions: 200 mm x 110 mm		dimensions:	chrome	6065.0
• dimensions: 200 mm x 110 mm			chrome	6067.0
Double rail hanger chrome 6001.0		Metal soap dish • dimensions: 200 mm x 110 mm	chrome	6008.0
	2	Double rail hanger	chrome	6001.0


METALIA SHOWER CATALOGUE 2023

METALIA SHOWER				ATALOGUE 2023
	Description	Colour	Index	
	Metal soap dish • dimensions: 140 mm × 90 mm	chrome	6048.0	
	Metal soap dish • dimensions: 110 mm x 75 mm	chrome	6049.0	
TO U U	4-hook towel rack • length: 250 mm	chrome	6043.0	
77	Double rail hanger • length: 110 mm	chrome	6056.0	
Po	Single rail hanger	chrome	6009.0	


TOILET SEATS




TOILET SEATS CATALOGUE 2023




TOILET SEATS



TOILET SEATS CATALOGUE 2023



TOILET SEATS



Accessories and spare parts

Today's customer is demanding, attaches great importance not only to the appearance of mixers or shower sets. Various details, which are an important part of bathroom fittings, are also becoming important. Accessories such as traps, drain plugs or spouts should therefore not only be functional, robust, but also aesthetically finished. Often placed in a visible place, they provide comfort to the user and emphasize the beauty of the whole arrangement in its smallest detail.

ACCESSORIES







SIPHONS



WASHING MACHINE SIPHONS



DRAIN VALVES



ANGLE VALVES



Description

- Super Slim Pro
 linear drain
- throughput up to 48 l/min
- · connection Ø40 mm
- waterproofing collar
- integrated steel siphon with inspection hole
- inspection plug easy access to siphon
- · building height: 49 mm
- outflow width: 45 mm

A[mm]			
600	black	OLSP1-60-BL	
700	black	OLSP1-70-BL	
800	black	OLSP1-80-BL	

Colour

Index




Super Slim Pro

- · linear drain
- throughput up to 48 l/min
- · connection Ø40 mm
- waterproofing collar
- integrated steel siphon with inspection hole
- inspection plug easy access to siphon
- · building height: 49 mm
- outflow width: 45 mm

A[mm]		
600	stainless steel	OLSP1-60
700	stainless steel	OLSP1-70
800	stainless steel	OLSP1-80






Wall Slim

- wall drain 30 cm
- throughput up to 45 l/min
- · connection: Ø50 mm
- low installation depth: 58 mm
- integrated steel siphon with
- inspection hole
 inspection plug
- easy access to siphon
- waterproofing collar

	-
1	_
	10



300


- Wall Slim
 wall drain 30 cm
- throughput up to 45 l/min
- · connection: Ø50 mm
- low installation depth: 58 mm
- integrated steel siphon with inspection hole
- inspection plug
- easy access to siphon
- · waterproofing collar
- polished cover

A [mm]		
300	stainless steel	OLWS1

black

OLWS1-BL

LINEAR DRAINS CATALOGUE 2023



Linear drain installed under floor

- throughput: 54 l/min
- adjustable legs
- waterproofing collardilatations

A [mm]	B [mm]		
730	700	black	OLP1-70-BL
800	800	black	OLP1-80-BL

Colour

Index



Linear drain installed under floor tiles

- throughput: 54 l/min
 adjustable legs
 waterproofing collar
 manually polished
 dilatations

A [mm]	B [mm]			
730	700	stainless steel	OLP1-70	
830	800	stainless steel	OLP1-80	



Linear drain

- throughput: 54 l/minadjustable legs
- waterproofing collardilatations

A[mm]	B [mm]		
730	700	black	OL70-BL
830	800	black	OL80-BL



Linear drain

- throughput: 54 l/min
- adjustable legs
 waterproofing collar
 manually polished
 dilatations

A[mm]	B [mm]		
730	700	stainless steel	OL70
830	800	stainless steel	OL80



Description Colour Index

- · linear drain
- throughput: 54 l/minadjustable legswaterproofing collardilatations

ı	A [mm]	B [mm]		
	730	700	black	OL1-70-BL
Ī	830	800	black	OL1-80-BL



Ora

- · linear drain
- throughput: 54 l/min
- adjustable legs
- waterproofing collarmanually polisheddilatations

A [mm]	B [mm]		
730	700	stainless steel	OL1-70
830	800	stainless steel	OL1-80




Easy New


- · linear drain
- throughput up to 33 l/min
- connection: Ø50 mm
 siphon with access plug included
 waterproofing collar

A [mm]		
600	stainless steel	OLE1-60
700	stainless steel	OLE1-70
800	stainless steel	OLE1-80


SIPHONS CATALOGUE 2023



SIPHONS



SIPHONS CATALOGUE 2023







Description

- Quadro drain valve G5/4 • for washbasins with overflow
- brass

Packaging		
box	chrome	S284
blister	chrome	S284-B

Colour






Quadro drain valve G5/4

- for washbasins with overflowbrass

black	S284-BL-B

Index






Rotondo drain valve G5/4

- for washbasins with overflowbrass
- packaging: box

JA	bronze	S285	DE





Rotondo drain valve G5/4

- $\bullet \ \ \text{for washbasins with overflow}$
- · packaging: blister






Tall drain valve G5/4

- for countertop washbasins without overflow
- brass

1
2



Packaging		
box	chrome	S285-WBP
blister	chrome	S285-WBP-B


Rotondo drain valve G5/4

- for washbasins with overflow
- brass

Packaging		
box	chrome	S285
blister	chrome	S285-B


DRAIN VALVES CATALOGUE 2023





Description Rotondo drain valve G5/4


- for washbasins with overflowbrass
- packaging: blister



Rotondo drain valve G5/4

- for washbasins without overflow
- brass





Packaging			
box	chrome	S285B	
blister	chrome	S285B-B	

black


Colour

black

Index

S285-BL-B






Rotondo drain valve G5/4

- for washbasins without overflow
- brass
- packaging: blister

S285B-BL-B






Rotondo drain valve G5/4

- for washbasins with overflow
- brasspackaging: box

gold S285G

NEW







Tall drain valve G5/4

- for countertop washbasins without overflow
- brass

4		>
6		b
٦	è	۲
-		
- 1		




Packaging		
box	chrome	S283-WBP
blister	chrome	S283-WBP-B

Drain valve G5/4

- for washbasins with overflow
- brass

Packaging			
box	chrome	S283	
blister	chrome	S283-B	





Description Drain valve G5/4


- for washbasins with overflow
- brass

Packaging			
box	brushed nickel	S283NC	
blister	brushed nickel	S283NC-B	

Colour

Index






Drain valve G5/4

- for washbasins with overflowbrass
- packaging: blister

black S283-BL-B






Drain valve G5/4

- for washbasins with overflow
- packaging: box

gold	S283G
gold	32030

NEW






Universal closed drain valve G5/4

- without overflowbrass

Packaging		
box	chrome	S283B
blister	chrome	S283B-B






Drain valve G5/4

- black ceramic plug
 for washbasins with overflow
 made of durable polypropylene

8



Packaging		
box	black	S288PPCB
blister	black	S288PPCB-B

Drain valve G5/4

- white ceramic plugfor washbasins with overflowmade of durable polypropylene


Packaging			
box	white	S288PPC	
blister	white	S288PPC-B	

DRAIN VALVES CATALOGUE 2023





ANGLE VALVES CATALOGUE 2023




Description

Angle valve with ceramic head and rosette

- ceramic head
- no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar)
- max. working temperature: 100°C
- finish: black matt

NEW

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	74,5	1/2"x3/8"	Z293-BL
G1/2	G1/2	74,5	1/2"×1/2"	Z294-BL




Angle valve with ceramic head and rosette

- ceramic head
- no contact of flowing water with paint finish
 the valve body doesn't scratch the rosette during installation
 nominal pressure: 1,0 MPa (10 bar)
 max. working temperature: 100°C
 finish: gold, PVD coating

N	Е	W	1

Available in Q1 2023

7



Α	В	C [mm]	connection dimensions	Index	
G1/2	G3/8	75	1/2"x3/8"	Z293-G	
G1/2	G1/2	75	1/2'x1/2'	Z294-G	

Angle valve with ceramic head and rosette


· ceramic head

- no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100°C finish: black matt

N	E	W	1

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75	1/2"x3/8"	Z295-BL
G1/2	G1/2	75	1/2"×1/2"	Z296-BL





Angle valve with ceramic head and rosette

- ceramic head
- $\boldsymbol{\cdot}$ no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar)
- max. working temperature: 100°C
- finish: gold, PVD coating

Available in Q1 2023

A	В	C [mm]	connection dimensions	Indeks
G1/2	G3/8	75	1/2"x3/8"	Z295-G
G1/2	G1/2	75	1/2"×1/2"	Z296-G



Description

Ball valve with rosette and metal knob

- nominal pressure: 1.0 MPa (10 bar) max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75,2	1/2"x3/8"	Z1238K
G1/2	G1/2	75,2	1/2"×1/2"	Z1212K
G1/2	G3/4	75,2	1/2"×3/4"	Z1234K






Ball valve with filter with rosette and metal knob

- nominal pressure: 1,0 MPa (10 bar)max. working temperature: 100 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	63	1/2"x3/8"	Z1238KF
G1/2	G1/2	63	1/2"×1/2"	Z1212KF
G1/2	G3/4	63	1/2"x3/4"	Z1234KF






Mushroom valve with rosette and metal knob

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	78,5	1/2"x3/8"	Z1238G
G1/2	G1/2	78,5	1/2"×1/2"	Z1212G
G1/2	G3/4	78,5	1/2"x3/4"	Z1234G






Mushroom valve

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	81,5	1/2"x3/8" with coupling for copper pipe Ø10 mm	Z240
G1/2	G1/2	81,5	1/2"×1/2"	Z220
G1/2	G3/4	81,5	1/2'x3/4"	Z230

ANGLE VALVES CATALOGUE 2023





Description

Angle valve with ceramic head

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	98	1/2"x3/8"	Z1238C
G1/2	G1/2	98	1/2"×1/2"	Z1212C
G1/2	G3/4	98	1/2"x3/4"	Z1234C





Angle valve with ceramic head and rosette

- nominal pressure: 1,0 MPa (10 bar)max. working temperature: 90 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	74,5	1/2"x3/8"	Z293
G1/2	G1/2	74,5	1/2"x1/2"	Z294






Angle valve with ceramic head and rosette

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 90 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75,3	1/2"x3/8"	Z295
G1/2	G1/2	75,3	1/2"×1/2"	Z296






3-way poppet valve

- $\boldsymbol{\cdot}$ for connecting a washing machine or dishwasher with existing corner valve

- 1/2 FT connection for flat seal
 nominal pressure: 1.0 MPa (10 bar)
 maximum working temperature: 100°C

		connection dimensions	Index	
G1/2	G3/4	1/2"×3/4"	CF3019A	





Standing kitchen mixers

The trendy, modern design of the mixer, combined with functional amenities to ensure comfort during everyday use, a wide range of designs and styles allows you to choose the right model for every kitchen. Ferro's offer also includes retro style mixers designed for classically decorated interiors.

CHROME F-MASTER **LIBRETTO LUGIO MAESTRO RAPSODY** 190 **ALGEO SQUARE** ALGEO **VASTO STILLO ZUMBA SLIM 2F** ZUMBA II ZUMBA SPOUTS **CLASSIC MIXERS RETRO RETRO NEW STANDARD** ANTICA 196 **BLACK BLACK-CHROME** -NEW **LUGIO BLACK RATIO BLACK ZICCO BLACK ZUMBA NERO** ADORE BLACK/CHROME GRANIT GRAPHITE — **GRANIT SANDY OLD BRONZE GOLD** NEW

FREYA

FREYA

ANTICA





List of functions

Ferro kitchen mixers are equipped with practical solutions that provide plenty of space for free use of the mixer, guarantee comfortable washing up and even filling of dishes placed outside the sink with water. When you choose Ferro kitchen mixers, you choose a great deal of comfort during your daily

KITCHEN

















Page number Series name Cold Start rotational spout pull-out spout flexible spout foldable spout spray/jet 190 Camira •	two spouts	pull-out handle
190 Camiro 190 F-Master 190 Libretto 190 Lugio 191 Maestro 191 Rapsody 191 Ratio 191 Sonata	•	
190 F-Master 190 Libretto 190 Lugio 191 Maestro 191 Rapsody 191 Ratio 191 Sonata	•	
190 Libretto •	•	
190 Lugio 191 Maestro 191 Rapsody 191 Ratio 191 Sonata		
191 Maestro •		
191 Rapsody • • 191 Ratio • • 191 Sonata • •		
191 Ratio 191 Sonata • • • • • • • • • • • • • • • • • • •		
191 Sonata • • •		
191 Toledo •		
192 Adore •		
192 Zicco •		
192 Tiga Verdeline •		
193 Algeo Square		
193 Fiesta •		
193 Algeo • •		•
194 Vasto • •		•
194 Stillo •		
194 Smile •		
195 Ferro One		
195 Savio •		
195 Isso •		
195 Basic • •		
195 Retro •		
196 Retro New		
196 Antica		
196 Standard •		
196 Freya ● ● ●		•
197 Zumba Slim 2 F		
199 Zumba II • • •		
200 Zumba •		
202 Zumba Nero • •		
202 Zumba Inox		
203 Carmen •		
203 Metalia 55 • • • • • • • • • • • • • • • • • •		

Colour combinations

The elegant appearance of the mixer emphasizes both its attractive design and impressive surfaces. The colour scheme of the product can enliven or brighten up the kitchen arrangement, or blend in perfectly with the interior design.





















Page number	Series name	chrome	steel	black-chrome	black	white-chrome	granite	old bronze	gold
190	Camira		•						
190	Camiro		•						
190	F-Master	•							
190	Libretto	•							
190	Lugio	•			•				
191	Maestro	•							
191	Rapsody	•							
191	Ratio	•			•				
191	Sonata	•							
191	Toledo	•							
192	Adore			•		•			
192	Zicco	•			•				
192	Tiga Verdeline	•							
193	Algeo Square	•							
193	Fiesta	•							•
193	Algeo	•							
194	Vasto	•							
194	Stillo	•							
194	Smile	•							
195	Ferro One	•							
195	Savio	•							
195	Isso	•							
195	Basic	•							
195	Retro	•							
196	Retro New	•							
196	Antica							•	
196	Standard	•							
196	Freya						•		
197	Zumba Slim 2 F	•							
199	Zumba II	•							
200	Zumba	•							
202	Zumba Nero				•				
202	Zumba Inox		•						
203	Carmen	•							
203	Metalia 55	•							












STANDING KITCHEN MIXERS














		Description	Colour	Index	
	-210 -410 -100 -100 -100 -100 -100 -100 -1	Zumba Slim 2F standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 19 cm to 41 cm spout height from 34 cm to 42 cm M24x1 flow regulator flexible connector G3/8 - M8x1	red	BZA43R	
	-210 -410 -100 -410 -100 -100 -100 -100 -1	Zumba Slim 2F standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 19 cm to 41 cm spout height from 34 cm to 42 cm M24x1 flow regulator flexible connector G3/8 - M8x1	blue	BZA43L	
7	230	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	black	BZA42B	
1	-230 -230 -230 -230 -230 -230 -230 -230	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	yellow	BZA42C	
1	-380 -230 -231 -380 -380 -380 -380 -380 -380 -380 -380	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	green	BZA42G	
	-380 -230 -180 -180 -180 -180 -180 -180 -180 -18	Zumba II standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 18 cm to 38 cm spout height from 29 cm to 44 cm M24x1 flow regulator flexible connector G3/8 – M10x1	silver	BZA42S	

STANDING KITCHEN MIXI	EKS	Description	Colour	Index
	-230 -230 -380	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	white	BZA42W
	230 160 160 170 170 170 170 170 170 170 17	Zumba II standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 18 cm to 38 cm spout height from 29 cm to 44 cm M24x1 flow regulator flexible connector G3/8 – M10x1	beige	BZA42P
	-230 -380	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	mint	BZA42M
	230 220 221 232 233 234 235 235 235 235 235 235 235 235	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	red	BZA42R
	200 -350 -350 -350 -350 -350 -350 -350 -350	Zumba standing sink mixer with flexible spout ceramic cartridge single hole assembly flexible spout possibility to freely shape the spout M22x1 flow regulator flexible connections G3/8 – M10x1	black	BZA4B
	-200 -350 -350 -350 -350 -350 -350 -350 -3	Zumba standing sink mixer with flexible spout ceramic cartridge single hole assembly flexible spout possibility to freely shape the spout M22x1 flow regulator flexible connections G3/8 – M10x1	yellow	BZA4C






LOW PRESURE MIXERS CATALOGUE 2023





KITCHEN MIXER SPOUTS CATALOGUE 2023



Wall-mounted mixer taps

The collection of standing kitchen mixer taps is complemented by a large group of wall-mounted kitchen models. This solution is also appreciated by a large group of admirers. The possibility of selecting a product with a specific length of spout rotation is their main advantage.

CHROME







VASTO 207



SMILE 207



FERRO ONE 207



ISSO 207



BASIC

CLASSIC MIXERS



RETRO 208



RETRO NEW 208



ANTICA 208




STANDARD 208


OLD BRONZE




ANTICA

WALL-MOUNTED MIXER TAPS CATALOGUE 2023







Sinks

The collection includes granite and stainless steel sinks in various sizes and shapes, designed for individual users and for catering establishments. Granite sinks with a surface resembling the structure of stone are an interesting proposition for originally furnished interiors. Models made of stainless steel AISI 304 are distinguished by timeless design and fit into any arrangement. FERRO sinks are characteristic for their exceptional durability and resistance to external factors.

SINKS —

UTILITY SINKS ———



GRANITE SINKS

212



UTILITY SINKS

217




GRANITE SINK SETS —

GRANITE SINKS WITH MIXER WITH FLEXIBLE SPOUT







GRANITE SINKS



GRANITE SINKS CATALOGUE 2023




GRANITE SINKS



GRANITE SINKS CATALOGUE 2023





annu.	Single bowl sink
	58x48 cm
2000	30X-10 CIII

- · siphon included
- recessed


Description

• with overflow

Colour Index graphite shine

DRGM1/48/58HA








Single bowl sink 58x48 cm

- siphon included
- recessed
- with overflow

gray

DRGM1/48/58GA








${\bf Single\ bowl\ sink}$ Ø51 cm

- · siphon included
- recessed
- with overflow

sandy

DRGM1/51SA








${\bf Single\ bowl\ sink}$

- Ø51 cm
- siphon included recessed • with overflow

graphite

DRGM1/51BA








Single bowl sink Ø51 cm

- siphon included
- recessed
- with overflow

graphite shine

DRGM1/51HA







Single bowl sink Ø51 cm


- siphon included
- recessed
- with overflow

gray

DRGM1/51GA



UTILITY SINKS CATALOGUE 2023







Specialist fittings

Created for public facilities and the special needs of people using this type of mixer taps and showers. The offer includes specialized mixer taps, showers and accessories that meet the highest standards of hygiene, are safe and comfortable **to use,** and are characteristic for their durability and resistance to various damages. Mixer taps and showers equipped with innovative components ensure maximum saving of water and energy used to heat it.

MEDICO



TIGA MEDICO VERDELINE



ALGEO SQUARE MEDICO



FIESTA MEDICO

221





ALGEO MEDICO





VASTO MEDICO

223

TOUCHLESS FITTINGS - TIME DELAY MIXERS AND VALVES -



TOUCHLESS MIXERS, VALVES AND DISPENSER



WASHBASIN MIXERS WITH TIME FLOW CONTROL



SHOWER AND URINAL VALVES WITH TIME FLOW CONTROL

LEED/BREEAM



LEED/BREEAM MIXERS



LEED/BREEAM SHOWERS

ACCESSORIES -




GRACE HOTEL




METALIA HELP

MEDICAL MIXERS CATALOGUE 2023







MEDICAL MIXERS CATALOGUE 2023







TOUCHLESS FITTINGS CATALOGUE 2023





TOUCHLESS FITTINGS CATALOGUE 2023





Description **Zephyr Sensor**

touchless built-in urinal

• power supply: 9V battery

· water inlet connection: 2 x 1/2" FT (inlet and outlet)

· max. working pressure: 0.5 bar - 8.0 bar (7-116 PSI)

• automatic flushing: 1 x 24 h

· sensor range factory settings: 600 mm


• flushing time factory settings: 6 s

• flow rate factory settings: ~1.0 l/cycle (for dynamic pressure 1 bar)

• flushing time: adjustable from 3 - 20 s

• settings control: RC01 remote control





Zephyr Sensor touchless urinal valve

power supply: 9V batterywater inlet connection: 2 x 1/2" MT

• max. working pressure: 1.0 bar - 8.0 bar (14.5-116 PSI)

 automatic flushing: 1 x 24 h
 sensor range factory settings: 600 mm

sensor range: adjustable from 80 - 300 mm
 flushing time factory settings: 6 s

• flow rate factory settings: ~1.0 l/cycle (for dynamic pressure 1 bar)

• flushing time: adjustable from 3 - 20 s settings control: RC01 remote control



Colour


chrome

BBB211

Index

BBB201





Kona Sensor touch built in shower mixer

• power supply: 9V battery • water inlet connection: $2 \times 1/2$ MT

• max. working pressure: 0.5 bar - 8.0 bar (7-116 PSI)

• flow time factory setting: 120 s

• flow time: adjustable from 5 – 2600 s

• permissible working temperature: 70°C

BBB301

chrome

7

Description Mixer/touchless valve control unit

white

Colour

Index RC01

Settings control:

- detection rangeswitch-on delay (applies to urinal valves)
- switch-off delay
 long-lasting water flow protection
 lockout time before next use
- flushing time (for urinal valves)
 automatic purge flushing
 temporary shutdown
 return to factory settings




Soap dispenser control unit

white

RC02

- setting soap dose volume
 return to factory settings
 temporary shutdown
 filling the system after refilling the tank








1/2" thermostatic mixer for touchless mixers

- max. water temperature: 90°C
- · max. working pressure: 0.5 bar - 10.0 bar (7 - 145 PSI)
- water inlet connection: $3 \times 1/2$ MT
- temperature control range: 30 70°C
- check valves: 2 pcs (on inlets)
 max. flow at Δp 1,5 bar: 25 l/min
- \cdot K_{VS}: 1.2 m³/h
- \cdot stability of mixed temperature: 3K at 15K hot water temperature change
- burn protection: flow cut-off function in the absence of cold water
- additional security features: body with anti-scaling coating










Presstige II automatic shut-off washbasin mixer with flow and temperature control

• flow time factory setting: \sim 15 s

Description

- (for dynamic pressure 3 bar)
 outflow time: adjustable from 10 20 s
- (for dynamic pressure 3 bar)
- flow rate: ~7 l/min (for dynamic pressure 3 bar)
- · max. water temperature: 90°C
- recommended hot water temperature: < 65°C
- recommended dynamic pressure: 0.1 0.5 MPa (1 5 bar)
- max. static pressure: 1 MPa (10 bar / 145 PSI)
- flexible connections: 3/8" MT (2 pcs)







Presstige automatic shut-off washbasin mixer with cold or mixed water flow control

- flow time factory setting: ~15 s (for dynamic pressure 3 bar)
- outflow time: adjustable from 10 20 s (for dynamic pressure 3 bar)
 flow rate: ~7 l/min (for dynamic
- flow rate: ~7 I/min (for dynamic pressure 3 bar)
- max. water temperature: 90°C
- recommended water temperature: < 65°C
- recommended dynamic pressure: 0.1 - 0.5 MPa (1 - 5 bar)
- max. static pressure: 1 MPa (10 bar / 145 PSI)
- water inlet connection: 1 x 1/2" MT
- for cold or pre-mixed water; recommended mixers:
 MM10 - 3/8" mechanical mixer
 MT15B - 1/2" thermostatic mixer



Colour


chrome

Index

Z201R

Z201






Presstige Pro automatic shut-off washbasin mixer with flow and temperature control

- flow time factory setting: 15 s.
- outflow time: adjustable from 10 20 s
- flow at dynamic pressure of 0.3 MPa (3 bar): 6 L/min. (mixed water)
- · max. water temperature: 90°C
- recommended water temperature: 65°C
- recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa
- max. static pressure: 1 MPa (10 bar)
- \bullet starting force (button push): up to 65 N
- water inlet connection 2 x G3/8 FT (flexible connections)

chrome Z501R



Description Colour Index

chrome


Z501


Presstige Pro automatic shut-off washbasin mixer with water flow control

- flow time factory setting: 15 s.
- outflow time: adjustable from 10 20 s · min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- · max. water temperature: 90°C
- · recommended water temperature:
- · recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa
- · max. static pressure: 1 MPa (10 bar)
- flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 15 \pm 5 s
- starting force (button push): up to 65 N
- water inlet connection 1 x G1/2 MT
- for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer

Z503








Presstige Pro built-in shower valve with time flow control

- · Anti Vandal System protection against disassembly
- flow time factory setting: 30 s.
- · outflow time: adjustable from 25 35 s
- · min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- · max. water temperature: 90°C
- · recommended water temperature: 65°C
- recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa
- · max. static pressure: 1 MPa (10 bar)
- flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 30 + 5/-10 s
- starting force (button push): up to 41 N
- · water inlet connection 2 x G1/2 MT
- · for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer








Presstige Pro SQ


built-in shower valve with time flow control

- Anti Vandal System protection against disassembly
- flow time factory setting: 30 s.
- outflow time: adjustable from 25 35 s
- $\boldsymbol{\cdot}$ min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- max. water temperature: 90°C
- · recommended water temperature: 65°C
- recommended dynamic pressure range: 0,1 MPa $\leq \hat{P} \leq 0,5$ MPa
- max. static pressure: 1 MPa (10 bar)
- \bullet flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 30 + 5/-10 s
- $\boldsymbol{\cdot}$ starting force (button push): up to 41 N
- \cdot water inlet connection 2 x G1/2 MT
- for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer

chrome Z503SQ








Description

Algeo

- ceramic cartridge
- single hole assembly
 G5/4 automatic drain plug



Colour

chrome

chrome

chrome

Index

BAG2-LB

BAG2-LA

BFI2-LB

• M24x1 aerator • G3/8 - M10x1 flexible connections

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) → **2,7 l/min** (0,71 gpm US)

3,00 bar (43 psi) → **2,7 l/min** (0,72 gpm US)

4,14 bar (60 psi) → **3,0 l/min** (0,79 gpm US)







Algeo standing washbasin mixer

- · ceramic cartridge
- single hole assembly
- G5/4 automatic drain plug
- M24x1 flow regulator
- G3/8 M10x1 flexible connections



Maximal flow rate for dynamic pressure


Stream: spray

1,50 bar (21 psi) → **1,1 l/min** (0,28 gpm US)

3,00 bar (43 psi) → **1,2 l/min** (0,30 gpm US)

4,14 bar (60 psi) → **1,3 l/min** (0,33 gpm US)







Fiesta standing washbasin mixer

- ceramic cartridge
- · single hole assembly
- G5/4 click-clack drain plug aerator M24x1
- G3/8 M10x1 flexible connections





Maximal flow rate for dynamic pressure

Stream: laminar - aerated

1,50 bar (21 psi) → **2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,69 gpm US)

4,14 bar (60 psi) → **2,9 l/min** (0,77 gpm US)



LEED/BREEAM MIXERS CATALOGUE 2023





- standing washbasin mixer • ceramic cartridge

Description

single hole assembly
G5/4 click-clack drain plug
aerator M24x1
G3/8 - M10x1 flexible connections

Colour

chrome

chrome

Index

BZI2-LB

BSV2-LB

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) **> 2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,69 gpm US)

4,14 bar (60 psi) → **2,8 l/min** (0,75 gpm US)







Savio standing washbasin mixer

- · ceramic cartridge
- single hole assembly
- G5/4 automatic drain plug
- aerator M24x1
- G3/8 M10x1 flexible connections



Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) → **2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,68 gpm US)

4,14 bar (60 psi) → **2,8 l/min** (0,74 gpm US)





Vasto standing washbasin mixer

- ceramic cartridge
- · single hole assembly
- G5/4 automatic drain plug aerator M24x1
- G3/8 M10x1 flexible connections

chrome **BVA2-LB**

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) → **2,8 l/min** (0,74 gpm US)

3,00 bar (43 psi) → **2,8 l/min** (0,74 gpm US)

4,14 bar (60 psi) → **3,0 l/min** (0,80 gpm US)









Ferro One standing washbasin mixer

- ceramic cartridge
 single hole assembly
 G5/4 click-clack drain plug
 aerator M24x1
 G3/8 M10x1 flexible connections

Maximal flow rate for dynamic pressure	
Stream: laminar - aerated	BFO2-LB
1,50 bar (21 psi) → 2,6 l/min (0,69 gpm US)	
3,00 bar (43 psi) → 2,7 l/min (0,72 gpm US)	
4,14 bar (60 psi) → 3,1 l/min (0,82 gpm US)	


chrome

Colour

chrome

Index








Ferro One standing washbasin mixer

- ceramic cartridge
- single hole assembly
 G5/4 click-clack drain plug
 M24x1 flow regulator
- G3/8 M10x1 flexible connections

Maximal flow rate for dynamic pressure					
Stream: spray	BFO2-LA				
1,50 bar (21 psi) → 0,9 l/min (0,23 gpm US)					
3,00 bar (43 psi) → 1,0 l/min (0,27 gpm US)					
4.14 bar (60 psi) → 1.1 l/min (0.28 gpm US)					

black






Zumba standing sink mixer with flexible spout


- ceramic cartridge

4.1	201 201 201 201 201 201 201 201 201 201		 single hole assembly flexible spout possibility to freely shape the spout M22x1 aerator flexible connections G3/8 - M10x1 		
9			Maximal flow rate for dynamic pressure		
H			Stream: laminar - aerated	BZA4B-LB	
			1,50 bar (21 psi) → 2,8 l/min (0,74 gpm US)		
			3,00 bar (43 psi) → 2,8 l/min (0,74 gpm US)		
			4,14 bar (60 psi) → 2,8 l/min (0,74 gpm US)		

LEED/BREEAM SHOWERS CATALOGUE 2023




GRACE HOTEL




GRACE HOTEL CATALOGUE 2023





METALIA HELP CATALOGUE 2023



METALIA HELP			
500	Description Steady double grab bar • length: 600 mm • Ø: 32 mm	Colour stainless steel	Index R6660.44*
813 VS	Steady double grab bar • length: 810 mm • Ø: 32 mm	stainless steel	R6681.44*
813 V3	Foldable double grab bar • length: 810 mm • Ø: 32 mm	stainless steel	R66813.44*
F3 400	Straight grab bar • Ø; 32 mm • max 110kg	stainless steel	R66404.44*
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Straight grab bar • length 500 mm • Ø: 32 mm	stainless steel	R6650.44*

Accessories and spare parts

We offer you a set of accessories and spare parts to prolong the life of your products for many years. Please contact our service office if you do not find the parts you need for your Ferro model on the following pages. **All products in this section are prepacked with a symbol and EAN code for retail sale, unless otherwise stated.**

ACCESSORIES -



MIXER SPOUTS



JET REGULATORS

SPARE PARTS



REGULATORS



HEADS 249



MIXER HANDLES



ROSETTES



MOUNTING ACCESSORIES



PLUGS AND DRAINS



STRAINERS 261




CAPS AND REDUCTIONS



GASKETS, FUNNELS



MOUNTING



JET REGULATORS CATALOGUE 2023







Description **FerroSlimAir**

aerator

- · aerates the water flow saving over 50% (~4.5 l/min) of water
- - Ferro Easy Clean System
 - easy limescale removal
- standard dimensions Mx24
- water jet direction adjustment • installation wrench included





- aerates the water flow saving up to 50% of water
- Ferro Easy Clean System
- easy limescale removal
- standard dimensions Mx24
- brass







Colour



FerroEcoSave

- water flow limiter
- $\boldsymbol{\cdot}$ installed for shower or bath mixers 1/2×1/2
- \bullet limits water flow to 50%
- standard spray hose connections
- brass
- packaging: 1 pc in a blister



FerroAirMix M24x1 aerator

· with key for aerators and ceramic cartridges



chrome

PCH4-K-W

PCH3VL

PCH5VL-K-W









2-function long jet regulator

- M22 female thread or M24 male thread
- for round spouts, with male thread (dual handle faucets)

black-chrome

black-chrome

P1314-W



2-function long jet regulator

- M22 female thread
- $\boldsymbol{\cdot}$ for round spouts, with male thread (dual handle faucets)


ET REGULATORS		Description	Colour	Index
	2	2-function long jet regulator M22 female thread or M24 male thread for round spouts, with male thread (dual handle mixers)	black-chrome	P1014-W
	2	2-function long jet regulator • 2-funtion short jet regulator	white-chrome	P24
1		M22 female thread for round spouts, with male thread (dual handle mixers)		
	2	2-function long jet regulator • M22 female thread • for round spouts, with male thread (dual handle mixers)	black-chrome	P10
DO		Jet regulator connecting ring M22x1		P14
O		Mixer jet regulator Dimensions Packaging M28×1 Packaging loose (with	chrome	Index PCH1
		M28x1 Packaging bag M24x1 Packaging loose (with M24x1 Packaging bag		PCH1W PCH2 PCH2W
		Faucet service key • for M24 and M28 jet regulators • for head nut 35 mm and 40 mm • does not scratch the chrome surfaces		KEYM2428-W

CERAMIC HEADS AND REGULATORS		CATALOGUE 2023
	Description Co	lour Index
	Thermostatic head for thermostatic faucet	GT1
	Thermostatic head for TAM7 mixers	GT8
Control of the contro	Thermostatic head for TRM7 mixers	GT1TRM
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 40 mm - high	GW1VL
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 40 mm - low	GW2VL
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 35 mm - high	G07VL


CERAMIC HEADS AND REGULATORS

CERAMIC HEADS AND REGULATORS	Description	Colour Index
	Ceramic cartridge • for single-handle mixers • 40 mm - high	GW1
CO THE	Ceramic cartridge • for single-handle mixers • 40 mm - low	GW2
OO) THE	Ceramic cartridge • for single-handle mixers • 35 mm - high	G07
CO THE	Ceramic cartridge • for single-handle mixers • 35 mm - low	G08

CERAMIC HEADS AND REGULATORS		CATALOGUE 2023
	Description Colour	Index
Militar	Ceramic head • for RETRO dual-handle mixers /20 spline /	G05R
	Ceramic head • for RETRO dual-handle mixers /24 spline /	G05S
	Ceramic head • for dual-handle mixers /15 spline /	G05
Will Person	Double-handle moving faucet head • for nut /15 spline/	G02C
Mill Prof	Double-handle moving faucet head • for nut /15 spline/	G02



MIXER HANDLES CATALOGUE 2023



ROSETTES



Rosette with eccentric	

Colour chrome

Index

Packaging	Index	
packaging loose (without EAN code)	R10	
packaging bag	R10W	

3/4 conical rosette

chrome



Packaging	Index
packaging loose (without EAN code)	R02
packaging bag	R02W

3/4" conical rosette

chrome



Dimensions	Packaging	Index
wide conical rosette 80x22,5 mm	packaging bag	R23W
high conical rosette 70x25,5 mm	packaging bag	R24W

3/4 flat rosette

chrome



Packaging	Index
packaging loose (without EAN code)	R07
packaging bag	R07W



chrome



Packaging	Index
packaging loose (without EAN code)	R03
packaging bag	R03W




1/2 flat rosette

Packaging	Index
packaging loose (without EAN code)	R04
packaging bag	R04W


ROSETTES			CATALOGU	E 2023
	Description	Colour	Index	
	3/4" square rosette for mixers		R22W	
	3/4" cylindrical rosette for mixers		R21W	
	Rosette for washbasin • 25 mm	white	RUB25	
	Rosette for washbasin	chrome		
	Dimensions		Index RUC19	
	19 mm 25 mm		RUC25	
	Rossette • 40 mm	white	R40	
	Rossette • 50 mm	white	R50	

ROSETTES





MIXERS MOUNTING ACCESSORIES	Dan winding	Calam	lu dos-
33 1	Description Mixer mounting kit	Colour	Index
	Packaging packaging loose (without EAN code) packaging bag	_	Index ZM002 ZM002W
331	Mixer mounting kit		
	Packaging packaging loose (without EAN code) packaging bag	-	Index ZM003 ZM003W
33	Mixer mounting kit		
	Packaging packaging loose (without EAN code) packaging bag	-	Index ZM004 ZM004W
33	Mixer mounting kit		
	Packaging packaging loose (without EAN code) packaging bag		Index ZM005 ZM005W
	G3/4xG1/2 mixer reduction	chrome	R05



MIXERS MOUNTING ACCESSORIES



PLUGS AND DRAINS CATALOGUE 2023

PLUGS AND DRAINS			CATALOG	UE 2023
	Description Washbasin drain rubber plug	Colour white	Index KORSU42	
2	Washbasin drain rubber plug	white	KORSU42N	
	Sink drain plug	white	KORSZ51	
2	Sink / shower rubber plug	white	KORZ45N	
	Sink plug with chain	white	KORL40	
	Sink plug with chain	white	KORZL52	



STRAINERS CATALOGUE 2023

STRAINERS			CAT	ALOGUE 2023
	Description	Colour	Index	
	Washbasin metal strainer	chrome	SMU1	
	Sink metal strainer	chrome	SMZ1	
	Strainer for cleaning the sink	chrome	SCCZ	
	Stainless screw for sink drain		SNZS	
	Stainless screw			
	Dimensions Shainless sinks assess M(x 20)		Index	
	Stainless sink screw M6x30 Stainless washbasin screw M6x60		SNZ30 SNU60	
	Stalliness washbasin serew 1.10x000		5000	


CARCAND REPUGTIONS			
CAPS AND REDUCTIONS	Description	Colour	Index
	Description		
	Rubber plug	black	ZG50
	• 50 mm		
	Rubber plug	black	ZG32
	• 32 mm		
	Reduction gasket	white	
	Reduction gasket	Willie	
	Dimensions		Indov
	Dimensions	_	Index USRD3225
	32/25 mm		Index USRD3225 USRD4025
			USRD3225
	32/25 mm 40/25 mm 40/32 mm 50/25 mm		USRD3225 USRD4025 USRD4032 USRD5025
	32/25 mm 40/25 mm 40/32 mm 50/25 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 60/32 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 60/32 mm		USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 60/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD5645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD645 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 60/45 mm 60/45 mm Reduction gasket	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD645 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 60/45 mm 60/45 mm Reduction gasket	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Dimensions 50/32 mm 50/32 mm 50/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Dimensions 50/32 mm 50/32 mm 50/32 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045
	32/25 mm 40/25 mm 40/32 mm 50/25 mm 50/32 mm 50/40 mm 50/45 mm 56/32 mm 56/45 mm 60/32 mm 60/45 mm Reduction gasket Pimensions 50/32 mm 50/40 mm	black	USRD3225 USRD4025 USRD4032 USRD5025 USRD5032 USRD5040 USRD5045 USRD5632 USRD6645 USRD6032 USRD6045

FUNNELS CATALOGUE 2023

Description	Colour	Index
Lower cistern funnel	white	LSD1
Upper cistern funnel	white	LSG1

Packaging Index	
Dimensions Packaging by Dimensions Dimen	
packaging bag CP250W Gasket G3/4 for flush-mounted mixers with mesh filter Peckaging packaging losse (without EAN code) CP260 packaging losse (without EAN code) CP260 packaging bag CP260W Mixer headpart O-ring black Dimensions Packaging bag Spcs ORGB12 3//6' packaging bag Spcs ORGB12 3//6' packaging bag Spcs ORGB38 Mixer headpart O-ring 6/3 x 2,4 black ORGW6324 * packed by S pieces Spout O-ring black * packed by S pieces Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Gasket G3/4 for flush-mounted mixers with mesh filter Packaging postering loose (without EAN code) CF260 pockaging loog (CF260 pock	
Packaging Index	
Dimensions	
Dimensions	
Mixer headpart O-ring black Dimensions Packaging Index 1/2' packaging bag 5 pcs ORGB12 3/8' packaging bag 5 pcs ORGB38 Mixer headpart O-ring 6,3 x 2,4 black ORGW6324 • packed by 5 pieces Dimensions black • packed by 5 pieces Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Dimensions Packaging Index 1/2' packaging bag 5 pcs ORGB12 3/8' packaging bag 5 pcs ORGB38 Mixer headpart O-ring 6,3 x 2,4 black ORGW6324 • packed by 5 pieces Dimensions black - packed by 5 pieces Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Dimensions Packaging Index 1/2' packaging bag 5 pcs QRGB12 3/8' packaging bag 5 pcs QRGB38 Mixer headpart O-ring 6,3 x 2,4 black QRGW6324 • packed by 5 pieces Spout O-ring black • packed by 5 pieces black Dimensions Index 1/2' QRGW12 3/4' QRGW34	
Dimensions Packaging Index 1/2' packaging bag 5 pcs ORGB12 3/8' packaging bag 5 pcs ORGB38 Mixer headpart O-ring 6,3 x 2,4 black ORGW6324 • packed by 5 pieces Spout O-ring black • packed by 5 pieces Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Spout O-ring	
Mixer headpart O-ring 6,3 x 2,4 • packed by 5 pieces Spout O-ring • packed by 5 pieces Dimensions 1/2* ORGW12 3/4*	
Spout O-ring black • packed by 5 pieces Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Dimensions Index 1/2' ORGW12 3/4' ORGW34	
Dimensions Index 1/2' ORGW12 3/4' ORGW34	
3/4' ORGW34	
Shower hose rubber gasket without filter • 1/2" • packed by 5 pieces	

GASKETS CATALOGUE 2023



GASKETS	Description Color	ur Index
000	Set of gaskest for mixer diverter	USZP
0	Hose fiber gasket without filter • packed by 5 pieces	
	Dimensions 1/2'	Index CF210F
	3/8*	CF220F
	Hose rubber gasket without filter • 3/8' • packed by 5 pieces	CF230G
	Fiber gasket for headpart • packed by 5 pieces	Inday
	Dimensions 3/8'	Index USGF38
	1/2* 3/4*	USGF34
	Silicone gasket for headpart • packed by 5 pieces	
	Dimensions 3/8* 1/2* 3/4*	Index USGG38S USGG12S USGG34S
	Flat fiber gasket • 1/2"	USP12

GASKETS CATALOGUE 2023


GASKETS		CATALOGUE 2023
	Description Colour	Index
	Wedge gasket for washbasin siphon • 32 mm	USKS32
	• packed by 2 pieces	
	Wedge gasket for sink siphon • 40 mm	USKS40
	packed by 2 pieces	
()		
	Wedge gasket for toilet cistern	USKD
	siphon	
	32 mmpacked by 2 pieces	
()		
	Gasket for toilet elbow pipe black	USPK
	Lip sealing ring	
	• packed by 2 pieces	
	Dimonstens	Index
	Dimensions 32 mm	PUWG32
	40 mm	PUWG40
	Bottom toilet cistern seal with edge	
	Dimensions	Index
	66/36 mm 71/44 mm	USD6636 USD7144
	/ 1/44 []	
	7 1744 111111	0357144

	Description Colour	r Index
	Rubber gasket for half-siphon	USPG1
	• packed by 2 pieces	
	Rubber gasket for washbasin	USPU54
	half-siphon	
	• 5/4"	
	• packed by 2 pieces	
_		
	Rubber gasket for sink half-siphon	USPZ64
	· 6/4"	05. 204
	• packed by 2 pieces	
	Sink siphon repair kit	
	Sink Siphon repair kit	
	0.	
	Dimensions	Index
	1-bowl	ZNSZ1
	1-bowl	ZNSZ1
	1-bowl	ZNSZ1
	1-bowl 2-bowl	ZNSZ1
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions	ZNSZ1
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm	ZNSZ1 ZNSZ2 Index USPD6031
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm	ZNSZ1 ZNSZ2 Index USPD6031 USPD6431
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm	ZNSZ1 ZNSZ2 Index USPD6031 USPD6431 USPD6617
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm	Index USPD6031 USPD6431 USPD6617 USPD6636
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm	Index USPD6031 USPD6431 USPD6636 USPD6817
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144
	1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm 64/31 mm 66/17 mm 66/36 mm 68/17 mm 70/24 mm 71/44 mm	Index USPD6031 USPD6431 USPD6617 USPD6636 USPD6817 USPD7024 USPD7144

GASKETS CATALOGUE 2023

Description	Colour	Index
Toilet cistern repair kit		ZNPDN
Rubber foam gasket for compact WC unit		
Dimensions		Index
10,0 mm × 7 mm		UKPG1
10,9 mm x 6 mm		UKPG2
10,9 mm x 7 mm		UKPG3
8,4 mm x 6 mm		UKPG4

MOUNTING



MOUNTING CATALOGUE 2023

	Description	Colour	Index
**	WC compact unit fixing screws L-78 mm	Colour	SMZ78

SWITCHES

Description	Colour Index	
Bath mixer	switch	
Index	mixers	
Index P001AG	mixers Smile, Ascoli	_
		_
P001AG	Smile, Ascoli	
P001AG 26-SWITCH	Smile, Ascoli Padwa, Werona	
P001AG 26-SWITCH 20-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri Modena	
P001AG 26-SWITCH 20-SWITCH 41-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri Modena Vasto	

PRODUCT INDEX CATALOGUE 2023

Index	Page	Index	Page	Index	Page
	- rage	AGR11BL	143	BAG8	52, 193
A AAI02BR	134	AGR14	143	BAG11A	52, 193
			144		
AAI03BR	134	AGR14BL	142	BAG11P	51 51
AAI05BR	134	AGR33		BAG55A	
AAIIOPBR	134	AGR33BL	144	BAG66P	49
AAI10BR	134	AGR34	142	BAGM1	222
AAI13BR	134	AGR34BL	144	BAGM2	222
AAI14BR	135	ARE02	136	BAGM2AA	222
AAI33BR	135	ARE03	136	BAGM2L	222
AAI34BR	135	ARE05	136	BAGM3	222
AAI35BR	135	ARE09	136	BAGM4A	223
AC01	151, 239	ARE10	136	BAGM5	223
AC02	152	ARE13	136	BAGM7	222
AC03	152	ARE14	137	BAI2BR	74
AC04	152	ARE33	137	BAI4BR	74, 196
AC05	152	ARE34	137	BAI5BR	74, 208
AC06	152	ARE35	137	BAI6BR	74
AC07	150	ASM02	145	BAI7BR	74
AC08	150	ASM03	145	BAI11BR	74
AC09	150	ASM05	145	BAQ1	40
AC10	150	ASM06	145	BAQ1BLC	42
AC11	151	ASM07	145	BAQ2	39
AC13	151	ASM09	145	BAQ2BLC	42
AC14	151	ASM10	146	BAQ2L	39
AC15	151	ASM13	146	BAQ2LBLC	42
AC16	150	ASM14	146	BAQ3A	41
AC17	150	ASM33	146	BAQ3PA18	39
AC22	238	ASM34	146	BAQ3PA22	39
AC23	238	ASM35	146	BAQ4	41, 193
AC24	238	В		BAQ5A	41
AC25	238	BAG1	50	BAQ6	40
AC27	239	BAG1BL	53	BAQ6BLC	42
AC29	238	BAG2	48	BAQ7	40
AC30	239	BAG2A	48	BAQ7BLC	42
AC31	238	BAG2AA	48	BAQ7P	40
AC33	152, 239	BAG2ABL	53	BAQ7P2BOX	40
AC34	151	BAG2APO	48	ВАQ7РЗВОХ	40
AC35	239	BAG2BL	53	BAQ7P3BOX-SET1-S	104
AD02	154	BAG2L	48	BAQ7P-SET1-S	103
AD03	154	BAG2-LA	234	BAQ11A	41
AD06	155	BAG2-LB	234	BAQ11P	41
AD07	154	BAG2LBL	53	BAQ66P	39
AD08	153	BAG3	49	BAQM2	221
AD09	153	BAG3A	51	BAQM2L	221
AD10	153	BAG3PA18	48	BBB101	225
AD11	154	BAG3PA22	49	BBB101M	225
AD13	153	BAG4	51, 193	BBB101S	225
AD14	153	BAG4A	52, 193	BBB101SM	226
AD15	154	BAG5	52, 207	BBB111	226
AD17	153	BAG5A	51	BBB112	226
AD34	154	BAG5FB	52, 207	BBB121S	227
AGR02	141	BAG6	49	BBB121SM	227
AGR02BL	143	BAG6BL	53	BBB1213141	227
AGR03	143	BAG7	49	BBB201	228
AGR03BL	141	BAG7BL	53	BBB211	228
AGR05	141	BAG7P	50	BBB301	228
AGR05BL	143	BAG7P2BOX	50	BBC2	71
AGROOP!	141	BAG7P3BOX	50	BBC2A	71
AGR09BL	143	BAG7P3BOX-SET1-S	104	BBC3	71
AGR10	141	BAG7PA	50	BBC4	72, 195
AGR10BL	143	BAG7PA-SET1	50	BBC5	72, 208
AGR11	141	BAG7P-SET1-S	103	BBC5A	72

PRODUCT INDEX

PRODUCTINDEX	
Index	Page
BBC6	71
BBC11	71
BBC55A	72
BBC77	71
BCE4LP	203
BCQ4	190
BCR4	190
BDR1	25
BDR1BLC	27
BDR2	24
BDR2BLC	26
BDR2L	24
BDR2LBLC	26
BDR3PA	24
BDR3PABLC	26
BDR4	25, 192
BDR4BLC	27, 192
BDR6	24
BDR6BLC	26
BDR7	24
BDR7BLC BDR7P	26 24
BDR7PBLC	26
BDR11A	25
BDR11ABLC	27
BFE41	190
BFI1	44
BFI1G	46
BFI2	43
BFI2A	43
BFI2AG	46
BFI2FB	43
BFI2G	46
BFI2L	43
BFI2-LB	234
BFI2LG	46
BFI4	45, 193
BFI4G	47, 193
BFI6	43
BFI6G	46
BFI7	43
BFI7G	46
BFI7P	44
BFI7P2BOX	44
BFI7P3BOX	44
BFI11F	44
BFIM2	221
BFIM2A	221
BFO1	66
BFO1A	66
BFO2	65
BFO2A	65
BFO2-LA	236
BFO2-LB	236
BFO3	66
ВГОЗА	66
BFO4	67, 195
BFO5	67, 207
BFO5A	67
BFO6	65
BFO7	65
BFO7P	65

Index	Page
BFO7PA	65
BFO7PA-SET1	66 67
BFO11AA BFO33A	66
BFO55A	67
BFR4B	197
BFR4S	197
BFR8B	197
BFR8S	197
BFR41B	196
BFR41S	196
BFR42B	196
BFR42S	197
BIS2	69
BIS2A	69
BIS3	69
BIS4	70, 195
BIS4A	70, 195
BIS5	70, 207
BIS6	69
BIS11	69
BIS33A	70
BIS55A	70
BIS77 BLB1VL	69 36
BLB2VL	36
BLB6VL	36
BLB7PVL	36
BLB7VL	36
BLE4B	190
BLG4	190
BLG4BL	190
BLG4LP	203
BMS4	191
BNA4	191
BRY4	191
BSC1	29
BSC1BL	31
BSC2	28
BSC2BL	30
BSC2L	28
BSC2LBL BSC3PA	30
BSC3PABL	28 30
BSC6	28
BSC6BL	30
BSC7	28
BSC7BL	30
BSC7P	29
BSC7PA	28
BSC7PABL	30
BSC7PBL	31
BSL1	61
BSL2	61
BSL2A	61
BSL4	62, 194
BSL4A	62, 194
BSL5A	61
BSL7	61
BSL55A	61
BSM2 BSM2A	63 63
BSM2A	63
D31713	U3

Index	Dogo
BSM4	Page 64, 194
BSM5	64, 207
BSM6	63
BSM11	63
BSM77	63
BST2	79
BST3	79
BST4	79 196
BST5	80, 208
BST11	79
BST11A	79
BST77	79
BST-SWITCH-H-Q	272
BSV1	68
BSV2	68
BSV2-LB	235
BSV4	68, 195
BSV6	68
BSV7	68
BTD4FUW	191
BTD4PO	192
BTG1VL	37
BTG2AVL	37
BTG2VL	37
BTG3A	37
BTG4VL	38, 192
BTG5A	38
BTG6VL	37
BTG7PVL	38
BTG7VL BTGM2AVL	37 221
BTGM2AVL	221
BTI4	191
BTI4BL	191
BTI4LP	203
BVA2	58
BVA2A	58
BVA2-LB	235
BVA3	58
BVA3A	59
BVA4	59, 194
BVA4A	59, 194
BVA5	60, 207
BVA5A	59
BVA6	58
BVA8	59, 194
BVA11	58
BVA55A	59
BVA77	58
BVAM2	223
BVAM2A	223
BVAM3	223
BVAM4	223
BVAM5	224
BVA-SWITCH	272
BVI1RVL BVI1RVLBL	54 55
BVIIRVLBL BVIIVL	55
BVIIVL BVIIVLBL	54
BVIIVLBL BVIIVLBLG	55
BVI1VLG	56
BVI1VLG BVI2LVL	54
BVI2LVLBL	55
2 4 12 L 7 L D L	33

PRODUCT INDEX CATALOGUE 2023

PRODUCTINDEX	
Index	Page
BVI2LVLBLG	57
BVI2LVLG	56
BVI2VL	54
BVI2VLBL	5.5
BVI2VLBLG	57
BVI2VLG	56
BVI6VL	54
BVI6VLBL	55
BVI6VLBLG	57
BVI6VLG	56
BVI7VL	54
BVI7VLBL	55
BVI7VLBLG	57
BVI7VLG	56
BZA4B	200
BZA4B-LB	236
BZA4BLB	202
BZA4BLP	203
BZA4BSS	202
BZA4C	200
BZA4G	201
BZA4L	202
BZA4M	201
BZA4P	201
BZA4PSS	202
BZA4R	201
BZA4S	201
BZA4SSS	202
BZA4W	201
BZA4WSS	202
BZA42B	199
BZA42C	199
BZA42G	199
BZA42M	200
BZA42P	200
BZA42R	200
BZA42S	199
BZA42W	200
BZA43B	197
BZA43C	198
BZA43G	198
BZA43L	199
BZA43M	198
BZA43P	198
BZA43R	199
BZA43S	198
BZA43W	198
BZI1BL	34
BZI2	32
BZI2BL	34
BZI2-LB	235
BZI3A	33
BZI4	33, 192
BZI4BL	35, 192
BZI4BL BZI6	32
	34
BZI6BL	
BZI7BL	34
BZI7PA	32
BZI11	32
BZI11R	33
BZI11RBL	34
BZI55A	33
BZI77	32

Index	Page
CEOOFO	200
CF0052 CF0069	209 209
CF0070	209
CF210F	266
CF220F	266
CF230G	266
CF240G	264
CF250	264
CF250W	264
CF260	264
CF260W	264
CF270G	265
CF3019A	183
CNK411B	244
CNK412B	244
D	
DRGM1/48/58BA	214
DRGM1/48/58GA	215
DRGM1/48/58HA	215
DRGM1/48/58SA	214
DRGM1/51BA	215
DRGM1/51GA	215
DRGM1/51HA	215
DRGM1/51SA	215
DRGM2/48/78BA	212
DRGM2/48/78GA	212
DRGM2/48/78HA	212
DRGM2/48/78SA	212
DRGM3/48/79BA	212
DRGM3/48/79GA	213
DRGM3/48/79HA	213
DRGM3/48/79SA	212
DRGM48/58BA	214
DRGM48/58GA DRGM48/58HA	214 214
DRGM48/58SA	214
DRGM48/78BA	214
DRGM48/78GA	213
DRGM48/78GA-SET1-PL	216
DRGM48/78HA	213
DRGM48/78HA-SET1-PL	216
DRGM48/78SA	213
DRGM48/78SA-SET1-PL	216
DRK37/46G	217
DRK37/46W	217
DSN01	123
DSN02	123
DSN03	123
DSN04	123
DSN07	123
DSN07BL	124
DSN08	124
DSN08BL	124
E	
ELP20-NP71	111
G	~
G02	249
G02C	249
G05	249
G05R	249
G05S	249
G07	248

Index	Page
G07VL	247
G07VL	247
GT1	240
GT1TRM	247
GTTRM GT8	247
0.10	
GW1	248
GW1VL	247
GW2	248
GW2VL	247
K	170
K39	179
K39TW	179
KEYM2428-W	246
KMU100	270
KMU120	270
KMU140	270
KORL40	259
KORSU42	259
KORSU42N	259
KORSZ51	259
KORSZ113	260
KORZ45N	259
KORZL52	259
L	
LSD1	263
LSG1	263
М	
MM10	230
MT15B	229
N	
N100B	113
N110	107
N120	110
N130B	109
N140B	108
N150B	109
N160	107
N160BR	106
N170B	110
N170BL-B	106
N180B	108
N320	107
N334	105
N340	109
N350B	108
N365G	105
N370BL-B	106
N375BL-B	105
NP21	101
NP21-BL	101
NP22	102
NP22-BL	102
NP23	99
NP23-BL	99
NP24	100
NP24-BL	100
NP25VL	93
NP26VL	93
NP45	98
NP46	98
NP47	96
NP47-BL	96
	97
NP48	1 4/

PRODUCT INDEX

PRODUCTINDEX	
Index	Page
NP48-BL	97
NP71-BAG7U	91
NP71-TRM7U	89
NP74-BAQ7U	91
·	
NP75SQ-TRV7U	88
NP75SQ-TRV7U-BL	88
NP75-TRV7U	87
NP75-TRV7U-BL	87
NP78-BAG13U	90
NP79-BFI13U	89
NP80-BAQ13U	90
NP81-BVI7UVL	86
NP81-BVI7UVL-BL	86
	95
NP92	_
NP92-BL	95
NP93	94
NP94VL	92
NP94VL-BL	92
NPG01	121
NPG04	121, 237
NP-POL1	111
NPT02	123
NPT11	122
NPT11BL	122
NPT13	122
NPT13BL	122
NPT14	122
NPT14BL	122
0	
OL1-70	172
OL1-70-BL	172
OL1-80	172
· - · · · ·	–
OL1-80-BL	172
OL70	171
OL70-BL	171
OL80	171
OL80-BL	171
OLE1-60	172
OLE1-70	172
OLE1-80	172
OLP1-70	171
OLP1-70-BL	171
OLP1-80	171
OLP1-80-BL	171
OLSP1-60	170
OLSP1-60-BL	170
OLSP1-70	170
OLSP1-70-BL	170
OLSP1-80	170
OLSP1-80-BL	170
OLWS1	170
OLWS1-BL	170
ORGB12	264
ORGB38	264
ORGW12	264
ORGW34	264
ORGW6324	264
OSL1W	257
P	231
P001AG	272
	272
P06	250
P09	250
P10	246

Index P13	Page 245
P14	245
P15	250
P21	250
P22	250
P23	250
P24	246
P52	255
P57	251
P59	251
P480	255
P1014-W	246
P1314-W	245
PCH1 PCH1W	246 246
PCH2	246
PCH2W	246
PCH3VL	245
PCH4-K-W	245
PCH4VL	245
PCH5VL-K-W	245
PCH41VL	245
PKN11	126
PKN11BL	126
PKN12	126
PKN13	126
PKN13BL	126
PKN14 PKN14BL	126 127
PKN15	127
PKN15BL	127
PUWG32	267
	267 267
PUWG32 PUWG40 R	267
PUWG32 PUWG40 R R03	267 252
PUWG32 PUWG40 R R03 R03W	267 252 252
PUWG32 PUWG40 R R03 R03W	267 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W	257 252 252 252 252 252
PUWG32 PUWG40 R R03 R03W	252 252 252 252 252 252 256
PUWG32 PUWG40 R R03 R03W R04 R04W R05	257 252 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05	267 252 252 252 252 252 256 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07	267 252 252 252 252 256 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W	252 252 252 252 252 256 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W	252 252 252 252 252 256 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W	267 252 252 252 256 252 252 252 252 252 253 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R23W	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40	267 252 252 252 252 256 252 252 252 252 253 253 253 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6640.11	252 252 252 252 252 252 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6640.11	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6650.11 R6650.44	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6650.11 R6650.44 R6655.11	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6660.11 R6650.44 R6655.11 R6660.11 R6660.44 R6670.11	267 252 252 252 252 252 252 252 252 252 25
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6660.11 R6660.11 R6660.44 R6670.11 R6660.11 R6660.11	252 252 252 252 252 252 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6660.11 R6660.11 R6660.11 R6660.11 R6660.11 R6660.11 R6680.11 R6680.11 R6680.11	252 252 252 252 252 252 252 252 252 252
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6640.11 R6650.44 R6655.11 R6660.11 R6660.11 R6660.11 R6680.11 R6680.11 R6680.11 R6683.11	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6640.11 R6650.11 R6660.44 R6670.11 R6660.11 R6660.11 R6660.11 R6681.44 R6683.11 R6683.11 R6699.44	252 252 252 252 252 252 252 252 252 253 253
PUWG32 PUWG40 R R03 R03W R04 R04W R05 R07 R07W R10 R10W R21W R22W R23W R24W R40 R50 R6630.11 R6640.11 R6650.44 R6655.11 R6660.11 R6660.11 R6660.11 R6680.11 R6680.11 R6680.11 R6683.11	252 252 252 252 252 252 252 252 252 253 253

Index	Page
R66800.11	241
R66813.44	242
R66830.11	241
RAIL1.0	110
RC01	229
RC02	229
RG006	209
RG006W	209
RN12	125
RN350	125
RN350BL	125
RN350K	125
RN350KBL	125
ROS32	254
ROS32P RUB25	254
RUC19	253 253
RUC25	253
S .	233
S13	118
S22-B	116
S22BL-B	116
S30	174
S30-BL	174
S66	120
S71-B	117
S75-B	117
S75BL-B	117
S100	119
S110	118
S115	118
S160	117
S170-B	116
S170BL-B	116 116
S175BL S190VL-B	117
S280	173
S280-BL	173
S280G	173
S280NC	173
S281	175
S281NC	174
S282	173
S282-BL	174
S282G	174
S282NC	173
S283	177
S283-B	177
S283B S283B-B	178 178
S283-BL-B	178
S283G	178
S283NC	178
S283NC-B	178
S283-WBP	177
S283-WBP-B	177
S284	176
S284-B	176
S284-BL-B	176
S285	176
S285-B	176
S285B	177
S285B-B	177

PRODUCT INDEX CATALOGUE 2023

Index	Page	Index	- Dage -	Indov	Page
Index	Page	Index	Page	Index	Page
\$285B-BL-B	177	USGF34	266	W100S-B	205
S285-BL-B	177	USGF38	266	W100W-B	205
S285BR	176	USGG12S	266	W101B-B	204
S285G	177	USGG34S	266	W101P-B	204
S285NC-B	176	USGG38S	266	W101S-B	204
S285-WBP	176	USKD	267	W101W-B	204
S285-WBP-B	176	USKS32	267	W115C/2	244
		USKS40			
S286	174		267	W115S/2	244
S287PP-B	179	USP12	266	W150F/4	244
S288PPC	178	USPD6031	268	W160C/2	244
S288PPC-B	178	USPD6431	268	W160C/4	244
S288PPCB	178	USPD6617	268	W160S/2	244
S288PPCB-B	178	USPD6636	268	W160S/4	244
S289BL-B	179	USPD6817	268	W160Z/2	244
S290BL-B	179	USPD7024	268	W180C/2	244
S300	118	USPD7144	268	W180S/2	244
S305	118	USPG1	268	W200C/4	244
S310	118	USPK	267	W200F/4	244
S318	119	USPU54	268	W200S/4	244
S330	119	USPZ64	268	W250C/2	244
S330BL-B	119	USRD3225	262	W250C/4	244
S340	119	USRD4025	262	W250F/4	244
S340BL-B	119	USRD4032	262	W250S/2	244
S350-B	116	USRD5025	262	W250S/4	244
S500	117	USRD5032	262	W250Z/2	244
SCCZ	261	USRD5032C	262	W300C/2	244
SMU1	261	USRD5040	262	W300C/4	244
SMZ1	261	USRD5040C	262	W300S/2	244
SMZ78	271	USRD5045	262	W300S/4	244
SNU60	261	USRD5632	262	WC/BAMBUS	164
SNZ30	261	USRD5645	262	WC/BILA	166
SNZS	261	USRD6032	262	WC/BILAMDF	167
SPZ90K	260	USRD6045	262	WC/BOROVICE	164
T		USWP12	265	WC/BRIZA	164
T01	258	USWP34	265	WC/BUK	165
T04	258	USZBAT1	265	WC/DELFIN	168
T05	258	USZBAT2	265	WC/DUB2	165
TAM7	73	USZP	266	WC/DUBVELVET	164
TRM7	73	USZWYL12	265	WC/JASAN	164
U		USZWYL34	265	WC/MEDVEDI	168
U01	115	W		WC/MUSLELYRA	167
U02	114	W04	131	WC/ORECH	165
U03	114	W05	130	WC/ORECHLYRA	165
U05	114	W06	131	WC/PROVENCE	167
U28B	113	W07	130	WC/SOFT3D	167
U33	114	W12	130	WC/SOFTCLOSE	166
U155G	112	W13	131	WC/SOFTJASAN	164
U170B	112	W33	131	WC/SOFTLYRA	166
U170BL-B	113	W34	131	WC/SOFTMDF	166
U190VL-B	112	W35	131	WC/SOFTMUSLELY	166
U300	112	W40	129	WC/SOFTNATURE	168
U365G	112	W41	129	WC/SOFTORECHLY	165
U500	112	W42	129	WC/SOFTSTONE1	167
U2106	114	W43	129	WC/SOFTSTONE2	167
U2170B	114	W44	130	WC/STENATA	168
UKPG1	269	W45	130	WC/UNIVERSAL	166
UKPG2	269	W47	130	WC/WENGE	165
UKPG3	269	W53	129	WWP02	128
UKPG4	269	W54	129	X	
USD6636	267	W98B	244	XD2	77
USD7144	267	W100B-B	204	XD3	77
USG05	265	W100C-B	204	XD4	77, 196
USGF12	266	W100G-B	205	XD5	78, 208
0301 12	200	11 1000-D	200	703	10,200

PRODUCT INDEX

Index	PRODUCTINDEX	
XD7 XD11 XD-SWITCH-H-Q XR2 XR3 75 XR3 75 XR4 75,195 XR5 76,208 XR11 75 XR11A 75 XR77 75 Z Z Z35 Z35 Z37 Z55 Z37 Z55 Z37 Z55 Z37 Z55 Z39 R2 Z40 R2 Z201 Z211 Z31 Z201 R Z211 Z33 Z220 182 Z230 182 Z230 182 Z240 182 Z250 184,255 Z293 183 Z293-BL 181 Z293-G 181 Z294 183 Z294-BL 181 Z294-G 181 Z294-G 181 Z294-G 181 Z295-G 181 Z296-G 182 Z21234 Z21234 Z226 Z260 Z260 Z260 Z260 Z260 Z260 Z260	Index	Page
XD11 77 XD-SWITCH-H-Q 272 XR2 75 XR3 75 XR4 75, 195 XR5 76, 208 XR11 75 XR11A 75 XR77 75 Z Z35 255 Z37 255 Z39 82 Z40 82 Z201 231 Z201R 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z230 182 Z240 182 Z230 182 Z240 182 Z250 183 Z293-BL 181 Z293-G 181 Z293-G 181 Z294-BL 181 Z294-BL 181 Z295-G 181 Z296-G	XD6	77
XD-SWITCH-H-Q XR2 XR2 XR3 XR4 75, 195 XR4 75, 195 XR5 XR5 76, 208 XR11 75 XR11A 75 XR77 75 Z Z Z35 Z35 Z37 Z55 Z37 Z55 Z39 R2 Z40 R2 Z201 Z31 Z201 Z31 Z211 Z33 Z220 R221 Z230 R221 Z230 R2220 R2220 R2220 R2220 R2220 R2220 R2220 R2220 R82 Z230 R82 Z240 R82 Z250 R82 Z240 R82 Z250 R82 Z293 R83 Z293-BL R81 Z293-BL R81 Z295-G R81 Z294-G R81 Z294-G R81 Z295-G R81 Z295-G R81 Z296-BL R81 Z295-G R81 Z296-BL R81 Z296-G R81 Z296-G R83 Z296-BL R81 Z296-G R81 Z296-G R83 Z296-BL R82 Z21212K R83 Z21212K R82 Z1212K R82 Z1212K R82 Z1212K R82 Z1212K R82 Z1234C R83 Z1234G R82 Z1234C R83 Z1234G R82 Z1234F R82 Z1236F R82 Z1236F R8003W Z566 ZM003W Z566 ZM004W Z566 ZM005W Z566	XD7	77
XR2 XR3 75 XR4 75,195 XR5 XR5 76,208 XR11 75 XR11A 75 XR77 75 Z Z Z35 Z37 Z55 Z37 Z55 Z37 Z55 Z39 R2 Z40 R2 Z201 Z31 Z201R Z31 Z211 Z33 Z220 182 Z230 182 Z230 182 Z240 182 Z230 182 Z240 182 Z293 183 Z293-BL 181 Z293-G 181 Z294-BL 181 Z294-G 181 Z295-G 181 Z295-G 181 Z296-G 182 Z296-G 181 Z296-G 1	XD11	77
XR3 XR4 75, 195 XR5 76, 208 XR11 75 XR11A 75 XR77 75 Z Z Z35 Z37 255 Z37 255 Z39 82 Z40 82 Z201 231 Z201R 231 Z220 182 Z230 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-G 181 Z294-G 181 Z295-G 181 Z295-G 181 Z296-G 182 Z296-G 181 Z296-G 180 Z296-G 180 Z296-G Z296-C	XD-SWITCH-H-Q	272
XR4 75, 195 XR5 76, 208 XR11 75 XR11A 75 XR77 75 Z Z Z35 255 Z37 255 Z37 255 Z39 82 Z40 82 Z201 231 Z201R 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z293-BL 181 Z294-G 181 Z294-G 181 Z294-G 181 Z295-G 181 Z296-G 182 Z293-Z293-Z293 Z503-Z293-Z293 Z503-Z293-Z293-Z293 Z503-Z293-Z293-Z293-Z293-Z293-Z293-Z293-Z29	XR2	75
XR5 XR11 XR11A XR77 XR77 75 XR77 75 Z Z Z35 Z35 Z37 Z55 Z37 Z55 Z39 R2 Z40 R2 Z201 Z31 Z201R Z31 Z201R Z31 Z211 Z33 Z220 X82 Z240 X82 Z240 X82 Z250 X84 Z255 X83 Z293-BL X81 X83 Z293-BL X81 X293-G X81 X81 X294-G X81 X82 X294-G X83 X295-BL X81 X295-G X81 X81 X295-G X81 X81 X296-G X83 X296-BL X81 X296-G X83 X2503 X232 X2503SQ X232 X21212C X83 X2503 X232 X2503SQ X232 X21212C X83 X21212G X82 X21212C X83 X21234C X83 X21236C X8003 X256 X8003 X256 X8003 X256 X8005 X8005 X8005 X8005 X8005 X8005 X8005 X8005	XR3	75
XR11	XR4	75, 195
XR11A 75 XR77 75 Z Z Z35 255 Z37 255 Z39 82 Z40 82 Z201 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z293-G 181 Z294-BL 181 Z294-G 181 Z295-BL 181 Z295-BL 181 Z296-G 181 Z296-G 183 Z296-BL 181 Z296-G 181 Z296-G 181 Z296-G 181 Z296-G 183 Z296-BL 181 Z296-G 181 Z296-G 183 Z296-BL 184 Z296-G 188 Z296-BL 188 Z296-BL 188 Z296-BL 188 Z296-BL 188 Z296-BL 188 Z296-G 256	XR5	76, 208
XR77 75 Z Z35 255 Z37 255 Z39 82 Z40 82 Z201 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z293-G 181 Z294-G 181 Z294-G 181 Z295-G 181 Z295-G 181 Z296-BL 181 Z296-G 183 Z296-G 183 Z296-G 183 Z296-G 183 Z200 Z30 Z503 Z503 Z30 Z503 Z504 Z506 Z600 Z602 Z600 Z60	XR11	75
Z Z35	XR11A	75
Z35 255 Z37 255 Z39 82 Z40 82 Z201 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295-BL 181 Z295-BL 181 Z295-G 181 Z296-BL 182 Z1212C 183 Z1212C 183 Z1212K 182 Z1212K 182 Z1234G 182 Z1234G 182 Z1238G	XR77	75
Z37 255 Z39 82 Z40 82 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-BL 181 Z294-BL 181 Z295-BL 181 Z295-BL 181 Z296-BL 182 Z1212C 183 Z1212C 183 Z1212K 182 Z1234C 182 Z1234C 182 Z1234K 182 <	Z	
Z39 82 Z40 82 Z201 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295 183 Z295-BL 181 Z296-G 181 Z296-BL 181 Z296-G 182	Z35	255
Z40 82 Z201 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295 183 Z295-BL 181 Z296 183 Z296-BL 181 Z296-G 181 Z296-G 181 Z301 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212C 183 Z1212K 182 Z1212K 182 Z1234G 182 Z1234G 182 Z1234F 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238K 182 Z1238K 182 <t< th=""><th>Z37</th><th>255</th></t<>	Z37	255
Z201 231 Z201R 231 Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-Q 181 Z294-BL 181 Z295-BL 181 Z295-Q 181 Z296-BL 182 Z31 232 Z501R 231 Z502 233 Z503 232 Z503 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1234G 182 Z1234G 182 Z1238C 183	Z39	82
Z201R 231 Z210 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-G 181 Z294-G 181 Z295-BL 181 Z295-G 181 Z296-G 181 Z296-G 181 Z296-G 181 Z296-G 181 Z296-G 181 Z30 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1238C 183 Z1238C 183 Z1238G 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 <t< th=""><th>Z40</th><th>82</th></t<>	Z40	82
Z211 233 Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295-BL 181 Z295-G 181 Z296-BL 181 Z296-G 181 Z296-G 181 Z301 232 Z501R 231 Z502 233 Z503SQ 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234F 182 Z1234F 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238C 262	Z201	231
Z220 182 Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-G 181 Z294-BL 181 Z295-BL 181 Z295-G 181 Z296-BL 181 Z296-G 181 Z296-G 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212C 183 Z1212K 182 Z1212K 182 Z1234G 182 Z1238C 183 Z1238G 182 Z1238G 182 Z1238G 182	Z201R	231
Z230 182 Z240 182 Z250 184, 255 Z293 183 Z293-BL 181 Z294-G 181 Z295-BL 181 Z295-G 181 Z296-BL 181 Z296-G 181 Z296-G 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234G 182 Z1234F 182 Z1234F 182 Z1238C 183 Z1238C 183 Z1238F 182 Z1238F 182 Z1238F 182 Z1238F 182 Z1238F 182 Z1238F 262 ZM002 256 ZM003W 256 ZM004 256 ZM005 256 ZM005W 256	Z211	233
Z240 182 Z250 184,255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295-G 181 Z295-BL 181 Z296-BL 181 Z296-G 181 Z296-G 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234G 182 Z1234F 182 Z1234F 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238C 256	Z220	182
Z250 184, 255 Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295 183 Z295-BL 181 Z296 181 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212K 182 Z1234G 182 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238C 183 Z1238C 183 Z1238C 183 Z1238C 183 Z1238C 182 Z1238C 182 Z1238C 262 Z632 262 Z650 262 ZM002 256 ZM003 256 ZM004 256 ZM005 256 ZM005W 256	Z230	182
Z293 183 Z293-BL 181 Z294 183 Z294-BL 181 Z295-G 181 Z295-G 181 Z296-BL 181 Z296-G 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238C 183 Z1238C 183 Z1238C 182 Z1238C 182 Z1238C 262 Z650 262 ZM002 256 ZM002 256 ZM003 256 ZM004 256 ZM005 256 ZM005 256	Z240	182
Z293-BL 181 Z294 183 Z294-BL 181 Z295 183 Z295-BL 181 Z296 181 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238F 182 Z1238K 182 Z1238K 182 Z1238KF 182 Z650 262 ZM002 256 ZM003W 256 ZM004W 256 ZM005W 256	Z250	184, 255
Z293-G 181 Z294-BL 181 Z294-G 181 Z295 183 Z295-BL 181 Z296 181 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238F 182 Z1238K 182 Z1238K 182 Z1238KF 182 Z650 262 ZM002 256 ZM003 256 ZM004 256 ZM005 256 ZM005W 256	Z293	183
Z294 183 Z294-G 181 Z295 183 Z295-BL 181 Z296 181 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238F 182 Z1238K 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM003 256 ZM004W 256 ZM004W 256 ZM005W 256	Z293-BL	181
Z294-BL 181 Z295 183 Z295-BL 181 Z296 181 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212K 182 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238F 182 Z1238KF 182 Z632 262 ZM002 256 ZM003 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z293-G	181
Z294-G 181 Z295 183 Z295-BL 181 Z296 183 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234K 182 Z1238C 183 Z1238C 183 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 182 Z1238K 262 ZM002 256 ZM003 256 ZM004W 256 ZM005W 256 ZM005W 256	Z294	183
Z295 183 Z295-BL 181 Z296 183 Z296-BL 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238K 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM003 256 ZM004W 256 ZM004W 256 ZM005W 256	Z294-BL	181
Z295-BL 181 Z296 183 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212R 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1238C 183 Z1238C 183 Z1238K 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM003 256 ZM004W 256 ZM004W 256 ZM005W 256	Z294-G	181
Z295-G 181 Z296 183 Z296-BL 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238C 183 Z1238K 182 Z1238KF 182 Z32 262 ZM002 256 ZM003 256 ZM004W 256 ZM005W 256 ZM005W 256	Z295	183
Z296 183 Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM003 256 ZM004W 256 ZM004W 256 ZM005W 256	Z295-BL	181
Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z295-G	181
Z296-BL 181 Z296-G 181 Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z296	183
Z501 232 Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z296-BL	
Z501R 231 Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z296-G	181
Z502 233 Z503 232 Z503SQ 232 Z1212C 183 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 Z632 262 ZG50 262 ZM002 256 ZM003 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	Z501	232
Z503 232 Z503SQ 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z501R	231
Z503SQ 232 Z1212C 183 Z1212G 182 Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 Z1238KF 182 ZG32 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z502	233
Z1212C 183 Z1212G 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1234KF 182 Z1238C 183 Z1238K 182 Z1238KF 182 Z232 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z503	232
Z1212G 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234KF 182 Z1234KF 182 Z1238C 183 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z503SQ	232
Z1212K 182 Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238K 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005 256 ZM005W 256	Z1212C	183
Z1212KF 182 Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005 256 ZM005W 256	Z1212G	182
Z1234C 183 Z1234G 182 Z1234K 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 Z632 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z1212K	182
Z1234G 182 Z1234KF 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238KF 182 ZG32 262 ZG50 262 ZM002 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z1212KF	182
Z1234K 182 Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM002W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005 256 ZM005W 256	Z1234C	183
Z1234KF 182 Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM002W 256 ZM003 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	Z1234G	182
Z1238C 183 Z1238G 182 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	Z1234K	182
Z1238G 182 Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z1234KF	182
Z1238K 182 Z1238KF 182 ZG32 262 ZM002 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z1238C	183
Z1238KF 182 ZG32 262 ZG50 262 ZM002 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005 256 ZM005W 256	Z1238G	182
ZG32 262 ZG50 262 ZM002 256 ZM002W 256 ZM003W 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256 ZM005W 256	Z1238K	182
ZG50 262 ZM002 256 ZM002W 256 ZM003 256 ZM003W 256 ZM004W 256 ZM004W 256 ZM005W 256	Z1238KF	182
ZM002 256 ZM002W 256 ZM003 256 ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	ZG32	262
ZM002W 256 ZM003 256 ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	ZG50	262
ZM003 256 ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256	ZM002	256
ZM003 256 ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256		
ZM003W 256 ZM004 256 ZM004W 256 ZM005 256 ZM005W 256		
ZM004 256 ZM004W 256 ZM005 256 ZM005W 256		
ZM004W 256 ZM005 256 ZM005W 256		
ZM005 256 ZM005W 256		
ZM005W 256		
		210

Index	Page
ZMDB203M	270
ZMDB203T	270
ZMWB	270
ZMWC	270
ZNPD	268
ZNPDN	269
ZNSZ1	268
ZNSZ2	268
ZR110	262
000001	257
008001 008001W	257 257
008003W	257
008005	257
008005W	257
010001	257
010001W	257
018003	209
20-SWITCH	272
26-SWITCH	272
41-SWITCH	272
439.P	179
449.P 460.0	180 175
465.0	175
6001.0	162
6008.0	162
6009.0	163
6033.0	161
6035.0	162
6043.0	163
6048.0	163
6049.0	163
6056.0 6064.0	163
6065.0	162 162, 239
6067.0	162, 237
6068.0	161
6070.0	160
6071.0	161
6072.0	160
6073.0	160
6074.0	160
6075.0 6077.0	160 161
6078.0	160
6079.0	161
6080.0	161
6101.0	159
6106.0	159
6109.0	159
6110.0	158
6129.0	156
6130.0 6131.0	159 158
6132.0	156
6133.0	157
6136.0	158
6138.0	157
6141.0	159
6143.0	158
6144.0	159
6149.0	157

Index	Page
6150.0	157
6151.0	158
6153.0	156
6156.0	158
6157.0	157
6158.0	156
6159.0	156
6177.0	156
6178.0	157
6803.0	148
6825.0	148
6828.0	147
6833.0	148
6836.0	147
6838.0	148
6845.0	149
6848.0	147
6853.0	148
6855.0	148
6856.0	147
55092.0	81, 203
55097.0	81
65540.1	140
65543.4	138
65548.4	138
65556.4	138
65564.4	139
65568.4	139
65575.4	139
65577.4	138
65578.4	138
65579.4	139
65580.1	139
65581.1	140
65582.1	139
65585.4	138

Do you have any questions?

Do you need technical support, product information before buying or are you looking for a spare part? Please contact us! Our advisors will provide comprehensive answers to your questions.



FERRO S.A. ul. Przemysłowa 7 32-050 Skawina Polska

T: +48 12 25 62 100 F: +48 12 27 67 606 E: export@ferro.pl

/ferro_group_official



(in) /ferro-group